



Covid Policy

June 2023

Contents

Purpose of this document	2
Testing	2
Face masks	2
Ventilation	3
Air purification units	3
CO2 Monitors	3
Hand sanitiser	4
Cleaning regime	4

Purpose of this document

1. This policy is designed to reduce the risk of Covid-19 transmission whilst the Inquiry hosts its hearings.
2. This document is aimed at all Inquiry staff attending hearings. This includes secretariat, legal teams, contractors and security staff. This document also applies to all visitors attending hearings, including core participants, legal representatives, media and the general public.

Testing

3. We are asking all staff and visitors to take a lateral flow test :-
 - i) For staff and visitors attending daily - a test at the beginning of each week.
 - ii) For staff and visitors attending on individual days - a test in advance of attending.
4. Though the UK government no longer requires people to self-isolate if they test positive for Covid-19, we are asking those who test positive to stay away from the hearings.

Face masks

5. Staff at the Inquiry who want to, or are more comfortable, wearing face masks can do so.
6. Whilst face masks are no longer compulsory, if any visitors attending hearings wish to wear face masks, and are more comfortable wearing face masks, they can do so. We will not mandate what type of mask visitors should wear.

7. For all visitors attending hearings there will be free face masks (Type IIR Fluid Resistant masks and FFP2 respirators) available on the day, if required.

Ventilation

8. A ventilation system operates throughout the ground floor and first floor of the hearing centre and has been designed and commissioned to the BSRIA Standards for Air and Water Systems.
9. In the hearing room there are:
 - 6 fan coil units - where temperatures can be controlled and turned up and down.
 - 16 ventilation units - that draw in air and then push clean air out.
10. The ventilation is evenly spread out across the room to ensure that air changes are effective throughout.
11. The hearing room is 875m³. The air change rate has been calculated as 8 air changes per hour supply, and 8 air changes per hour extract (6 ACH recommended by the Lancet COVID-19 Commission's Task Force on Safe Work, Safe School, and Safe Travel)¹.

Air purification units

12. We have two CAMFIL air purification units - <https://www.camfil.com/en-gb/products/air-cleaners--air-purifiers/city-range> placed at either end of the Hearing Room, one close to the public gallery, we also have one in the Viewing Room and one in the Media Room.
13. The units have HEPA filters which are used to clean indoor air by mechanically filtering through highly efficient filters. Clean air is dispersed in all directions to supplement the effect of the ventilation system.

CO₂ monitors

14. CO₂ monitors will be placed around the hearing room, the viewing room and the media room.
15. If the CO₂ count increases to over 1000 parts per million, the doors to the hearing room will be opened during breaks to let ventilation in. We will also be able to increase ventilation from both the central unit and from the airflow through the air purification units.

Hand sanitiser

16. There will be hand sanitising stations and antiviral wipes available for people to use throughout the venues, including on arrival, and for when they take their seats.

Cleaning regime

17. The cleaning team will be frequently cleaning and disinfecting objects that are touched regularly, such as door handles and light switches. They will also thoroughly clean surfaces, including floors, throughout the Inquiry's hearing spaces and common areas such as the viewing room, support rooms, staircase, toilets and reception area each evening.
18. In addition, a disinfectant fogging treatment will be used on the surfaces in the hearing room, viewing room and other rooms each evening.

Reference:

1. Lancet Commission on COVID-19 (2022) *Proposed Non-infectious Air Delivery Rates (NADR) for Reducing Exposure to Airborne Respiratory Infectious Diseases*. Available at:
<https://covid19commission.org/commpub/lancet-covid-commission-tf-report-nov-2022>
(Accessed: 5 June 2023).