

Coronavirus and the social impacts on disabled people in Great Britain*Opinions and Lifestyle Survey (Covid-19 module), 14 May to 24 May 2020***Contents:****1. Isolation:**

Table 1: Isolating

2. Impact on life:

Table 2: Impact on people's life overall

Table 3: Impact on well-being

Table 4: Impact on caring

Table 5: Impact on finances

Table 6: Impact on work

5. Perceptions of the future:

Table 7: Perceptions of the future following the COVID-19 outbreak

6. Opinions of the economic situation following the COVID-19 outbreak:

Table 8: Opinions of the economic situation

7. Information about COVID-19:

Table 9: Enough information to protect yourself

8. Actions taken to prevent the spread of COVID-19:

Social distancing – working and spending time at home

Table 10: Working from home

Table 11: Spending time at home

Social distancing – avoided contact

Table 12: Avoiding contact with people

9. Community support networks and societal unity:

Table 13: Community spirit

Table 14: Neighbours in the community

Table 15: Unity, Equality and Kindness

10. Leaving home:

Table 16: Leaving home

Table 17: Reasons for leaving home

11. Well-being:

Table 18: Mean life satisfaction, worthwhile, happiness and anxiety ratings

Table 19: Percentages of adults reporting different levels of loneliness

12. Stay at home guidelines:

Table 20: Support stay at home guidelines

13. New health problems:

Table 21: New health problems, seeking or not seeking professional help

14. Home schooling

Table 22: Home schooling dependent children

15. Impairment types

Table 23: Impairment types reported by disabled people

Statistical contact

[Name Redacted]

[Irrelevant & Sensitive]

Media contact

Contact Media Relations Office

[Irrelevant [Irrelevant & Sensitive]

life.course@ons.gov.uk

Media.Relations@ons.gov.uk





Coronavirus and the social impacts on disabled people in Great Britain

Opinions and Lifestyle Survey (Covid-19 module), 14 May to 24 May 2020

Notes:**Coverage**

The sample consists of individuals aged 16 years and over living in Great Britain. Questions were asked to all responding adults unless specified otherwise.

LCL UCL

Refer to lower and upper 95% confidence

Weighted count

... used to make the sample of a survey

Sample

This refers to the total number of respondents for each break down.

Multiple response questions

Unless stated on the particular data table, the respondent may only choose one option. Questions where the respondent may choose multiple options are indicated on the data tables.

Disability

The definition of disability used is

<https://gss.civilservice.gov.uk/policy-store/measuring-disability-for-the-equality-act-2010/>

The GSS harmonised questions are asked of the respondent in the survey, meaning that disability status

Impairment

To define an impairment in this publication, we refer to the GSS harmonised definition, this identifies Impairment status is

Statistical significance

Changes or differences mentioned in this publication are “statistically significant”. The statistical significance of the release are determined based on non-overlapping confidence intervals unless otherwise indicated.

Suppression

Estimates with “..” relate to statistics. Estimates that are shaded grey

Self isolation

Self-isolation is defined as staying at home because you have symptoms or have been in contact with so

Rounding

All estimates
in this
spreadsheet
are rounded
to one
decimal
place. Totals
may not sum
exactly due to
this rounding.

Further information on the Opinions and Lifestyle Survey:

[https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/healthandlifeexpectar](https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/healthandlifeexpectancies)

Previously published data from the series, Coronavirus and the social impacts on Great Britain, a

<https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/healthandwellbeing/b>



ulletins/coronavirusandthesocialimpactsongreatbritain/previousReleases

Table 1: Isolating

Great Britain, 14 to 24 May 2020

[back to cont](#)

	All persons total	
	%	LCL
In the past seven days, have you self-isolated because of the Coronavirus (COVID-19) outbreak?		
Yes	19.0	16.7
Weighted count	51,850,050	
Sample size	2,018	
In the past seven days, has anyone else living in your household self-isolated because of the Coronavirus (COVID-19) outbreak?		
Yes	16.2	13.6
Weighted count	42,527,528	
Sample size	1,365	
In the past seven days, has everyone in your household self-isolated because of the Coronavirus (COVID-19) outbreak?		
Yes	17.0	14.3
Weighted count	42,658,529	
Sample size	1,362	
Percentage of adults who have self isolated and not left their home in the past 7 days		
Yes	6.5	5.1
Weighted count	52,081,184	
Sample size	2,023	

Source: *Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020***Notes**

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are represented by the highest impairment status shown for disabled (as defined above) respondents only.

3. Missing options of 'Don't know' and 'prefer not to say' have been excluded when conducting the above analysis. In the past seven days, has anyone else living in your household self-isolated because of the Coronavirus

See Notes page for more information.

ents

Disabled				Non-disabled			
UCL	%	LCL	UCL	%	LCL	UCL	
21.3	33.9	28.3	39.5	14.2	11.6	16.7	
	12,420,331			37,220,757			
	598			1,340			
18.7	27.9	21.1	34.6	13.1	10.2	15.9	
	9,008,953			31,549,437			
	359			944			
19.7	28.6	21.8	35.4	13.8	10.7	16.8	
	9,035,225			31,694,465			
	359			943			
7.9	16.1	11.8	20.4	3.6	2.3	4.9	
	12,440,797			37,382,550			
	599			1,343			

esented in each of those impairment categories in this analysis.

analysis , with the exception of the question
(COVID-19) outbreak?' - appearing second in the table.

Impairment type:						
Vision			Hearing			Mobility
%	LCL	UCL	%	LCL	UCL	%
44.1	24.6	63.6	47.7	34.5	60.9	41.4
1,033,040			1,108,486			5,240,077
62			96			310
42.8	16.4	69.2	43.9	24.6	63.1	34.9
741,079			588,201			3,293,284
31			49			158
39.5	12.5	66.5	43.7	25.3	62.0	38
741,079			588,201			3,293,284
31			49			158
15.8	4.6	27.0	29.9	17.3	42.5	23.4
1,033,040			1,108,486			5,260,543
62			96			311

		Dexterity		Learning	
LCL	UCL	%	LCL	UCL	%
33.8	49.0	31.9	21.9	41.8	28.4
		3,001,192			2,220,700
		169			76
25.1	44.7	26.4	13.8	39.1	20.2
		1,916,791			1,619,446
		84			50
27.6	48.4	26.7	14.0	39.3	21.9
		1,916,791			1,619,446
		84			50
17.1	29.7	18.7	9.7	27.6	19.0
		3,001,192			2,220,700
		169			76

		Memory			Mental health	
LCL	UCL	%	LCL	UCL	%	LCL
15.8	41.0	40.7	27.7	53.7	27.5	18.2
		2,287,388			4,204,801	
		98			138	
8.0	32.4	27.6	13.7	41.4	22.1	11.8
		1,579,076			3,147,027	
		55			90	
9.6	34.2	28.4	14.3	42.4	23.8	13.3
		1,579,076			3,181,344	
		55			91	
8.0	30.0	19.6	10.0	29.2	14.4	6.9
		2,287,388			4,204,801	
		98			138	

UCL	Stamina		UCL	Social or behavioural		
	%	LCL		%	LCL	UCL
36.7	34.7	26.4	42.9	17.0	0.0	34.5
	4,227,026			934,728		
	245			30		
32.3	27.3	17.5	37.2	17.8	0.0	38.7
	2,917,733			749,525		
	143			19		
34.2	29.1	18.2	40.0	21.5	0.5	42.6
	2,917,733			749,525		
	143			19		
21.9	16.5	10.6	22.4
	4,227,026			..		
	245			..		

Other			
	%	LCL	UCL
	50.9	27.9	73.8
992,537			
36			
	42.5	16.5	68.6
818,162			
23			
	43.4	16.3	70.4
818,162			
23			
	20.5	2.5	38.6
992,537			
36			

Table 2: Impact on people's life overall

Great Britain, 14 to 24 May 2020

A

How worried or unworried are you about the effect that Coronavirus (COVID-19) is having on your life right now?

Very worried

Somewhat worried

Neither worried nor unworried

Somewhat unworried

Not at all worried

Weighted count

Sample size

In which ways is Coronavirus (COVID-19) affecting your life? ³

(1) My health is being affected

(2) My work is being affected

(3) Schools and universities are being affected

(4) My household finances are being affected

(5) My well-being is being affected (for example, boredom, loneliness, anxiety and stress)

(6) Lack of freedom and independence

(6) My relationships are being affected

(7) My caring responsibilities are being affected

(8) My access to paid or unpaid care is being affected

(9) My exercise routine is being affected

(10) Availability of groceries, medication and essentials are being affected

(11) Access to groceries, medication and essentials are being affected

(13) Access to healthcare and treatment for non-coronavirus (COVID-19) related issues is being affected

(14) Transport is being affected

(15) Personal travel plans are being affected (for example, holidays and gap year)

(16) Work travel plans are being affected

(17) Life events are being affected (for example, weddings and funerals)

(18) I am unable to make plans

(19) Other

Weighted count

Sample size

Of those who are very worried or somewhat worried

In which ways is Coronavirus (COVID-19) affecting your life? ³

(1) My health is being affected

(2) My work is being affected

(3) Schools and universities are being affected

(4) My household finances are being affected

(5) My well-being is being affected (for example, boredom, loneliness, anxiety and stress)

(6) Lack of freedom and independence

(6) My relationships are being affected

- (7) My caring responsibilities are being affected
- (8) My access to paid or unpaid care is being affected
- (9) My exercise routine is being affected
- (10) Availability of groceries, medication and essentials are being affected
- (11) Access to groceries, medication and essentials are being affected
- (13) Access to healthcare and treatment for non-coronavirus (COVID-19) related issues is being affected
- (14) Transport is being affected
- (15) Personal travel plans are being affected (for example, holidays and gap year)
- (16) Work travel plans are being affected
- (17) Life events are being affected (for example, weddings and funerals)
- (18) I am unable to make plans
- (19) Other

Weighted count

Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with the Equality Act 2010.
2. Participants can select all impairments that apply. If a participant has multiple impairments, they are recorded. Impairment status is shown for disabled (as defined above) respondents only.
3. Respondents were able to choose more than one option.
4. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above analysis.

See Notes page for more information.

[back to contents](#)

All persons total			Disabled			Non-disabled
%	LCL	UCL	%	LCL	UCL	%
18.0	15.7	20.4	25.9	20.8	31.0	15.1
52.2	49.1	55.4	47.7	41.7	53.7	54.0
15.0	12.7	17.3	14.3	9.5	19.0	14.8
8.0	6.1	9.9	5.1	2.1	8.1	9.2
6.7	5.1	8.3	7.0	4.0	10.1	6.8
51,506,383			12,322,514			36,986,336
2,008			595			1,335
9.2	7.3	11.1	18.7	13.8	23.7	5.6
43.9	41.3	46.6	27.1	21.6	32.5	50.2
28.8	26.0	31.5	15.6	10.6	20.6	33.1
24.4	21.5	27.3	20.5	15.5	25.5	26.1
45.1	42.0	48.3	53.2	47.3	59.2	42.2
62.2	59.1	65.4	59.7	53.7	65.7	62.8
24.3	21.7	27.0	28.1	22.7	33.6	22.5
10.2	8.4	12.1	6.6	4.0	9.2	11.4
2.5	1.6	3.5	5.5	2.3	8.8	1.4
29.2	26.3	32.1	29.5	24.1	35.0	29.4
29.4	26.4	32.3	34.0	28.3	39.7	27.1
26.5	23.7	29.3	41.4	35.5	47.3	21.4
23.8	21.0	26.5	37.4	31.5	43.2	18.7
12.3	10.1	14.5	13.9	9.7	18.1	11.6
54.9	51.8	58.0	47.1	41.2	53.0	57.8
9.5	7.5	11.5	3.3	1.2	5.3	11.6
37.2	34.2	40.2	35.0	29.5	40.6	38.4
56.3	53.1	59.5	52.1	46.0	58.2	58.2
5.6	4.2	7.1	6.2	3.3	9.1	5.5
52,047,227			12,415,629			37,373,761
2,019			596			1,342
11.2	8.8	13.5	20.2	14.8	25.7	7.3
47.4	44.1	50.7	29.7	23.3	36.2	54.8
30.8	27.4	34.3	17.1	11.2	23.0	35.6
27.5	24.0	31.0	24.9	18.6	31.2	28.7
53.4	49.7	57.1	62.4	55.8	69.0	49.6
67.2	63.7	70.8	64.1	57.4	70.8	67.7
28.9	25.5	32.4	32.3	25.8	38.8	26.7

12.1	9.7	14.5	7.0	4.0	10.0	13.6
2.4	1.3	3.6	5.4	1.6	9.1	1.1
29.7	26.4	33.1	32.3	25.9	38.6	28.9
30.4	27.1	33.7	36.6	30.0	43.1	27.9
27.8	24.5	31.0	44.9	38.3	51.5	21.9
26.3	23.0	29.6	40.6	33.9	47.3	21.2
12.1	9.6	14.6	14.8	9.8	19.8	10.7
59.1	55.5	62.7	51.2	44.6	57.9	62.0
10.1	7.7	12.6	3.4	1.0	5.9	12.5
40.9	37.3	44.5	38.5	32.1	44.8	41.9
59.1	55.4	62.8	55.7	48.8	62.5	61.0
5.0	3.6	6.5	4.9	2.6	7.2	5.1
36,174,430			9,054,128			25,570,466
1,421			448			914

presented in each of those impairment categories in this analysis.

the analysis.

		Impairment type:			
		Vision			Hearing
LCL	UCL	%	LCL	UCL	%
12.4	17.8	21.2	7.6	34.8	28.5
50.2	57.8	55.6	36.7	74.5	47.0
12.2	17.5	12.4
6.9	11.6	4.8
4.9	8.7	17.8	0.2	35.3	7.3

10.5	16.7	16.9	0.0	33.8	8.6
0.3	1.9	18.6	2.5	34.8	12.6
24.8	32.9	44.6	22.5	66.6	53.1
24.0	31.9	35.7	16.4	54.9	48.4
18.2	25.6	48.0	28.3	67.8	62.6
17.5	25.0	40.0	20.3	59.8	42.6
7.8	13.6	27.6	9.3	45.9	17.4
57.6	66.4	45.5	25.6	65.5	42.5
9.2	15.7
37.4	46.5	53.1	33.1	73.1	51.2
56.6	65.5	60.7	40.3	81.1	62.6
3.2	6.9	3.6	0.0	8.8	8.8

768,295
49

837,398
74



		Mobility			Dexterity	
LCL	UCL	%	LCL	UCL	%	
16.3	40.8	32.4	25.4	39.4	26.1	
34.0	60.1	45.5	38.0	53.1	53.3	
3.8	20.9	10.5	5.2	15.7	12.3	
0.0	10.9	4.2	1.7	6.7	3.5	
1.8	12.9	7.4	3.3	11.4	4.9	
		5,152,632				2,905,595
		308				167
11.2	30.7	23.4	16.3	30.5	19.7	
0.0	14.0	16.6	10.3	22.9	27.4	
0.0	5.7	12.3	6.9	17.7	15.1	
4.0	26.0	16.8	10.8	22.7	20.7	
27.0	52.5	50.0	42.5	57.5	49.1	
60.6	84.4	67.0	59.9	74.1	64.6	
11.9	34.6	26.1	18.8	33.4	28.5	
1.5	13.2	5.4	2.3	8.4	4.3	
3.3	20.7	8.4	3.9	13.0	5.7	
37.0	63.9	26.3	19.5	33.0	22.1	
30.5	58.4	34.9	27.1	42.7	36.2	
44.8	71.3	49.8	42.1	57.6	53.7	
27.2	54.8	38.3	31.3	45.3	47.8	
7.9	29.2	12.0	7.5	16.5	12.3	
29.0	54.9	41.0	33.3	48.6	42.2	
..	..	3.4	0.6	6.3	1.5	
31.9	59.1	36.6	29.4	43.8	35.5	
42.0	69.3	56.2	48.1	64.2	51.7	
2.9	17.7	5.5	2.4	8.6	7.8	
		5,235,375				3,001,192
		308				169
12.7	36.7	24.9	17.7	32.2	17.7	
0.0	13.8	17.3	10.4	24.2	24.6	
0.0	7.5	10.6	6.0	15.2	9.8	
3.3	30.3	21.6	14.1	29.1	21.6	
34.4	65.1	58.3	50.2	66.4	51.4	
64.2	90.1	67.8	60.0	75.5	67.9	
14.7	42.2	26.4	18.8	33.9	26.7	

2.1	15.2
2.9	22.2
37.8	68.3
32.8	64.0
48.2	77.0
26.6	58.7
5.9	28.9
27.4	57.5
..	..
35.7	66.7
47.0	78.1
1.0	16.5

5.6	2.0	9.2
7.7	3.2	12.2
29.6	21.6	37.5
36.9	28.6	45.2
52.1	43.5	60.7
43.2	34.9	51.5
12.3	7.1	17.5
41.9	33.6	50.1
4.1	0.4	7.7
40.9	32.5	49.3
58.6	49.8	67.4
6.0	2.2	9.8

2.9
6.6
25.5
32.0
57.7
55.2
12.3
43.4
1.3
42.4
53.4
8.1

3,998,109
234

2,306,076
130



		Learning			Memory	
LCL	UCL	%	LCL	UCL	%	
17.4	34.8	21.1	10.4	31.8	32.8	
42.0	64.6	47.8	33.1	62.5	34.5	
3.6	21.0	18.8	6.8	30.8	16.1	
0.0	7.4	4.5	0.0	10.1	5.6	
1.5	8.3	7.8	0.0	16.1	11.0	
		2,125,103				2,191,791
		74				96
10.5	28.9	17.2	8.3	26.0	27.4	
16.7	38.1	17.1	7.6	26.6	15.4	
5.8	24.4	17.0	7.4	26.5	18.0	
12.0	29.4	20.6	9.9	31.3	17.6	
38.0	60.2	59.4	46.0	72.8	63.9	
54.1	75.1	56.2	42.4	69.9	67.1	
18.6	38.3	21.6	11.3	32.0	29.3	
1.0	7.7	12.1	3.6	20.7	12.0	
1.8	9.6	9.4	0.6	18.2	9.5	
13.7	30.6	36.2	22.0	50.4	36.1	
25.6	46.7	26.2	15.7	36.7	27.3	
43.0	64.3	43.6	30.7	56.4	51.5	
37.4	58.1	36.1	23.5	48.7	42.2	
6.4	18.2	12.3	4.1	20.5	10.5	
31.7	52.8	39.9	27.3	52.6	48.5	
0.0	3.2	5.4	
25.6	45.3	31.3	19.8	42.8	42.0	
40.5	62.8	53.5	39.2	67.8	58.3	
2.7	12.8	5.2	0.0	11.2	6.2	
		2,220,700				2,281,049
		76				97
10.5	25.0	17.9	7.4	28.5	32.6	
13.8	35.5	18.2	6.3	30.2	16.7	
0.9	18.8	20.9	8.1	33.6	15.8	
11.4	31.8	30.3	14.9	45.7	25.2	
39.3	63.6	79.2	66.9	91.5	79.5	
56.2	79.6	65.4	49.3	81.6	75.8	
17.4	36.0	27.6	13.8	41.4	30.2	

0.1	5.7
1.8	11.4
15.6	35.3
21.4	42.7
45.6	69.7
43.1	67.4
5.3	19.2
31.8	55.0
0.0	3.0
30.9	54.0
41.3	65.5
2.0	14.2

12.9	2.4	23.4
7.0	0.0	15.1
28.9	13.7	44.1
27.2	14.3	40.0
44.2	28.5	59.9
43.2	26.9	59.4
14.2	3.1	25.4
52.1	35.5	68.7
..
40.6	25.4	55.8
57.6	40.8	74.4
7.8	0.0	16.6

12.4
6.9
33.0
30.3
48.8
49.3
11.3
54.6
8.4
47.3
59.5
8.9

1,463,204
55

1,474,152
74



		Mental health			Stamina	
LCL	UCL	%	LCL	UCL	%	
20.9	44.7	27.2	18.0	36.3	28.3	
22.1	46.9	50.6	39.8	61.4	40.5	
4.3	27.9	10.7	3.5	18.0	15.3	
0.0	11.3	4.3	0.3	8.4	4.7	
0.0	22.1	7.2	0.9	13.5	11.2	
		4,109,204			4,153,894	
		136			244	
16.9	37.9	24.3	16.2	32.4	25.7	
7.2	23.6	32.4	23.8	41.0	20.6	
7.7	28.3	21.9	13.2	30.7	8.2	
8.3	27.0	27.7	18.1	37.2	16.0	
51.3	76.5	77.5	69.3	85.7	53.1	
54.6	79.7	59.8	49.2	70.5	65.9	
17.6	40.9	40.3	30.2	50.3	28.6	
3.9	20.1	9.4	3.7	15.0	6.5	
0.9	18.1	7.5	2.1	12.8	5.9	
22.7	49.5	28.8	19.3	38.2	29.7	
17.3	37.4	41.8	31.6	52.0	35.4	
38.1	64.8	46.5	35.9	57.0	49.5	
30.1	54.3	42.4	32.0	52.8	38.7	
3.7	17.3	19.3	10.8	27.7	12.7	
36.2	60.8	50.7	41.0	60.4	43.4	
0.3	10.6	4.0	0.2	7.7	1.5	
29.4	54.6	35.9	26.2	45.5	38.8	
45.0	71.7	54.9	44.2	65.7	65.0	
0.1	12.2	4.3	0.8	7.9	6.6	
		4,204,801			4,209,941	
		138			244	
19.3	45.9	26.9	4.7	17.6	28.7	
6.0	27.5	36.7	25.7	47.6	20.7	
4.6	27.1	23.3	13.2	33.4	5.9	
12.1	38.3	32.2	21.3	43.2	22.9	
68.8	90.3	87.5	81.2	93.9	65.3	
63.4	88.1	65.6	54.6	76.7	71.1	
16.6	43.8	45.6	34.0	57.1	31.2	

2.6	22.2	9.6	3.1	16.0	6.4
0.0	14.8	4.8	0.5	9.2	4.6
19.6	46.5	33.1	21.7	44.6	34.4
17.6	43.0	42.4	30.6	54.2	35.1
34.3	63.4	42.5	31.3	53.7	51.9
35.5	63.1	43.2	32.2	54.1	43.5
2.4	20.2	19.7	9.8	29.6	14.4
40.5	68.6	53.9	42.7	65.0	42.2
0.5	16.3	5.2	0.4	10.0	2.3
32.7	61.8	36.9	27.2	46.6	43.2
44.9	74.1	52.6	40.6	64.7	66.6
0.1	17.7	5.7	1.1	10.3	5.6

3,195,186	2,840,731
111	183



		Social or behavioural			Other	
LCL	UCL	%	LCL	UCL	%	
20.5	36.0	23.0	5.5	40.4	26.6	
31.4	49.7	59.4	37.7	81.0	52.4	
6.7	23.9	6.8	
1.3	8.1	
5.5	17.0	7.2	0.0	14.9	..	
		934,728			992,537	
		30			36	
17.4	34.0	17.4	4.1	30.7	23.4	
13.3	27.9	23.4	5.1	41.8	27.9	
2.0	14.4	18.6	
9.1	22.8	29.8	8.2	51.4	21.0	
44.6	61.6	76.7	59.2	94.2	70.6	
57.4	74.3	63.2	40.6	85.8	55.4	
20.7	36.6	37.1	14.5	59.7	30.3	
2.4	10.7	9.0	
1.3	10.5	0.0	0.0	0.0	..	
21.7	37.7	24.7	6.8	42.6	27.5	
26.8	44.1	27.8	8.8	46.8	22.6	
40.4	58.7	31.1	13.0	49.2	18.1	
30.0	47.3	45.3	22.6	67.9	41.5	
7.8	17.6	14.3	0.0	30.1	12.6	
34.6	52.2	48.2	24.7	71.7	39.3	
0.0	3.1	0.0	0.0	0.0	..	
30.1	47.5	24.9	8.4	41.5	37.7	
56.3	73.7	42.2	19.7	64.7	29.0	
2.4	10.9	3.5	0.0	8.2	31.5	
		934,728			992,537	
		30			36	
19.7	37.6	20.3	3.8	36.9	11.7	
11.8	29.6	21.5	2.4	40.6	34.5	
1.5	10.2	21.4	
13.6	32.2	35.4	9.5	61.3	26.6	
55.8	74.9	89.3	75.3	100.0	71.4	
62.7	79.6	68.2	41.8	94.7	49.3	
22.1	40.3	39.3	12.8	65.8	38.4	

2.2	10.6
1.0	8.1
24.6	44.2
25.6	44.5
41.7	62.2
34.2	52.9
8.2	20.7
32.4	52.0
0.0	4.6
33.7	52.7
57.0	76.1
2.4	8.7

..
0.0	0.0	0.0
17.3	0.0	35.2
27.2	5.2	49.3
31.3	10.6	52.0
45.0	18.3	71.7
17.4	0.0	36.7
55.8	28.4	83.3
0.0	0.0	0.0
28.4	8.3	48.5
44.2	17.4	71.0
4.2	0.0	10.1

11.4
..
33.8
26.4
18.5
46.8
13.7
45.3
0.0
45.6
35.6
19.8

769,477
22

784,388
29



LCL	UCL

6.4	46.8
28.8	75.9
0.0	14.2
..	..
..	..

2.3	44.4
4.8	51.0
0.0	40.2
0.0	42.9
48.2	93.0
31.2	79.7
6.9	53.8
0.0	18.1
..	..
8.0	47.0
4.2	41.1
4.1	32.1
18.7	64.2
0.1	25.1
16.0	62.6
..	..
14.2	61.2
10.5	47.6
9.8	53.3

0.0	23.8
7.3	61.7
0.0	48.0
0.0	53.1
44.4	98.4
21.9	76.7
11.1	65.7

0.0	23.0
..	..
9.4	58.1
3.7	49.2
2.7	34.2
21.0	72.6
0.0	28.6
18.7	71.9
0.0	0.0
18.6	72.5
12.3	58.9
0.7	38.8

Table 3: Impact on wellbeing
Great Britain, 14 to 24 May 2020

[back to content](#)

	All persons to
	%
Among those who said coronavirus was affecting their wellbeing (see Table 2):	
In the past seven days, how has your well-being being affected? ³	
1 'Spending too much time alone'	26.5
2 'Spending too much time with others in household'	24.5
3 'No one to talk to about my worries'	11.3
4 'Strain on my personal relationships'	25.4
5 'Strain on my work relationships'	9.6
6 'Feeling like a burden on others'	17.1
7 'Feeling stressed or anxious'	60.8
8 'Feeling bored'	56.9
9 'Feeling lonely'	36.2
10 'Finding working from home difficult'	17.5
11 'Making my mental health worse'	27.8
12 'Unable to exercise as normal'	33.6
13 'Feeling worried about the future'	65.5
14 'Other'	3.5
Weighted Count	23,446,855
Sample Size	850

Among those who are very worried or somewhat worried about the effect of coronavirus on their life and sa

In the past seven days, how has your well-being being affected? ³	
1 'Spending too much time alone'	26.4
2 'Spending too much time with others in household'	23.3
3 'No one to talk to about my worries'	12.7
4 'Strain on my personal relationships'	25.8
5 'Strain on my work relationships'	9.2
6 'Feeling like a burden on others'	17.7
7 'Feeling stressed or anxious'	63.4
8 'Feeling bored'	54.7
9 'Feeling lonely'	36.0
10 'Finding working from home difficult'	16.4
11 'Making my mental health worse'	27.2
12 'Unable to exercise as normal'	31.6
13 'Feeling worried about the future'	72.2
14 'Other'	3.0
Weighted Count	19,317,536
Sample Size	734

Source: *Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020*

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are repre

Impairment status is shown for disabled (as defined above) respondents only.

3. Respondents were able to choose more than one option.

4. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above analysis.

See Notes page for more information.

ents

tal	Disabled					Non-disabled	
	LCL	UCL	%	LCL	UCL	%	LCL
	22.2	30.8	36.9	28.9	44.9	20.8	15.6
	19.9	29.1	17.0	10.8	23.2	26.9	20.9
	8.5	14.0	15.1	9.8	20.3	8.3	5.3
	21.0	29.8	28.2	20.3	36.0	23.6	18.0
	6.4	12.7	6.1	1.1	11.2	10.8	6.6
	13.4	20.8	31.4	23.4	39.4	10.7	6.7
	56.0	65.5	72.5	65.4	79.5	55.1	48.8
	52.1	61.7	53.2	44.8	61.5	58.3	52.1
	31.4	41.0	50.3	41.9	58.6	29.3	23.5
	13.6	21.3	9.2	4.4	14.0	20.1	15.0
	23.5	32.2	41.4	33.1	49.6	20.7	15.5
	28.9	38.3	31.4	23.8	38.9	34.5	28.4
	60.8	70.2	61.7	53.2	70.2	66.3	60.4
	1.8	5.2	4.7	0.6	8.9	3.2	1.3
			6,609,287			15,733,178	
			302			506	

aid coronavirus was affecting their wellbeing (see Table 2):

22.0	30.8	37.8	29.6	46.0	20.2	15.0
18.7	27.9	16.1	9.9	22.4	25.1	19.0
9.5	15.8	17.2	11.2	23.1	9.4	5.9
21.0	30.6	27.4	19.3	35.5	24.8	18.6
5.8	12.6	4.5	0.6	8.5	11.0	6.3
13.8	21.6	33.0	24.7	41.3	11.1	6.7
58.4	68.5	72.6	65.4	79.8	58.8	52.2
49.5	59.9	51.0	42.4	59.6	56.3	49.6
31.0	41.0	48.7	40.2	57.3	29.4	23.3
12.6	20.3	10.6	5.1	16.1	18.3	13.2
22.6	31.9	39.7	31.3	48.1	20.5	14.9
26.9	36.4	34.4	26.2	42.6	30.4	24.3
67.7	76.7	69.3	61.3	77.3	73.1	67.4
1.4	4.6	2.9	0.8	5.0	3.2	1.0
		5,649,300			12,692,669	
		272			425	

resented in each of those impairment categories in this analysis.

Impairment type:						
UCL	Vision			Hearing		
	%	LCL	UCL	%	LCL	UCL
26.0	37.6	10.4	64.9	50.5	28.6	
32.9	41.2	14.5	67.9	5.3	0.0	
11.3	14.2	0.0	30.9	39.2	16.6	
29.3	31.6	3.7	59.4	13.0	0.0	
15.0	0.0	0.0	
14.7	23.8	4.3	43.2	49.8	28.2	
61.3	72.4	50.8	93.9	72.3	54.6	
64.4	67.8	46.3	89.4	62.8	42.8	
35.2	55.9	31.1	80.8	44.8	22.4	
25.3	0.0	0.0	
26.0	51.4	26.0	76.7	20.7	2.9	
40.5	24.0	2.3	45.7	32.4	11.0	
72.3	60.7	32.1	89.3	82.6	67.0	
5.1	
	579,426			438,196		
	31			40		
25.4	24.9	4.6	45.1	47.8	24.9	
31.2	29.5	3.4	55.7	5.5	0.0	
13.0	18.3	0.0	38.6	41.3	17.9	
31.0	13.7	0.0	
15.6	0.0	0.0	0.0	0.0	0.0	
15.4	30.4	7.6	53.2	52.4	30.3	
65.5	64.7	39.8	89.6	70.8	52.2	
63.0	63.8	40.3	87.2	60.9	39.8	
35.4	48.5	22.1	74.8	44.9	21.6	
23.4	0.0	0.0	0.0	0.0	0.0	
26.2	37.6	10.7	64.5	21.8	3.0	
36.4	30.9	6.1	55.8	34.1	11.8	
78.8	78.2	58.1	98.3	81.7	65.3	
5.4	
	449,983			416,290		
	28			38		

UCL	Mobility			Dexterity	
	%	LCL	UCL	%	LCL
72.3	43.1	31.9	54.2	34.8	21.7
12.2	9.7	3.6	15.8	4.7	0.0
61.8	21.4	13.0	29.7	13.1	3.5
28.2	19.6	9.6	29.6	29.5	13.6
0.0	6.7	0.0	15.7
71.3	42.0	30.3	53.7	35.7	20.2
90.0	74.0	65.0	83.0	71.2	58.7
82.8	59.8	49.2	70.5	62.8	49.3
67.2	61.7	51.2	72.2	58.9	44.6
0.0	1.1	0.0	2.6	2.9	0.0
38.5	32.4	21.9	42.9	27.6	14.2
53.8	32.1	22.3	41.8	24.4	13.6
98.2	62.7	51.2	74.2	59.8	44.6
..	2.2	0.0	4.7	1.9	0.0
	2,619,143			1,473,847	
	155			88	
70.8	47.2	35.8	58.7	40.2	25.7
12.8	9.8	3.3	16.4	3.7	0.0
64.7	23.5	14.5	32.6	15.3	3.8
29.7	14.5	7.5	21.4	21.8	9.4
0.0
74.5	39.9	28.7	51.1	31.3	18.1
89.5	73.7	64.3	83.1	70.3	56.9
81.9	56.7	45.7	67.7	58.5	44.0
68.2	59.9	49.4	70.4	58.6	43.9
0.0	1.3	0.0	2.9	3.6	0.0
40.5	33.9	22.8	45.0	32.0	17.1
56.5	33.6	23.3	43.9	28.2	15.9
98.1	68.0	57.0	79.1	69.4	55.3
..	2.0	0.0	4.8
	2,330,878			1,185,601	
	141			76	

Learning, understanding or concentrating				Memory	
UCL	%	LCL	UCL	%	LCL
47.9	41.2	23.9	58.5	45.6	29.7
9.9	28.4	13.4	43.4	31.8	16.0
22.7	22.7	9.6	35.9	25.6	12.2
45.5	26.2	10.5	41.9	29.4	14.2
..
51.3	33.3	16.0	50.6	26.1	12.3
83.7	83.4	71.1	95.8	79.7	67.7
76.4	61.1	43.6	78.6	64.1	49.1
73.2	57.8	40.7	75.0	59.6	44.5
6.6	2.0	0.0	4.9	8.1	0.0
41.0	69.7	53.5	85.9	64.2	49.8
35.2	34.1	17.6	50.6	29.6	15.5
75.1	67.5	50.1	84.8	60.5	44.0
4.2	0.0	0.0	0.0
	1,319,627			1,457,754	
	49			65	
54.6	44.7	25.8	63.5	44.5	27.8
8.7	25.3	10.2	40.5	23.6	9.6
26.9	25.9	10.9	40.9	29.8	14.6
34.2	28.0	10.7	45.3	25.6	10.5
..
44.4	37.9	18.9	56.9	32.5	16.5
83.7	83.0	69.6	96.5	77.4	63.5
72.9	62.7	44.2	81.3	62.8	46.7
73.2	60.1	41.7	78.5	57.2	40.8
8.1	9.0	0.0
47.0	66.6	48.4	84.8	58.1	41.9
40.4	34.9	16.9	53.0	31.5	16.0
83.5	71.1	53.0	89.2	70.1	54.3
..	0.0	0.0	0.0
	1,158,611			1,172,558	
	43			56	

UCL	Mental health			Stamina, breathing or fatigue	
	%	LCL	UCL	%	LCL
61.5	47.6	35.4	59.7	38.3	27.3
47.5	26.9	16.5	37.3	17.9	7.9
38.9	22.8	13.5	32.1	21.1	12.0
44.5	41.9	30.0	53.7	28.5	16.7
..	6.6	0.5	12.8	7.9	0.0
39.9	32.6	21.3	43.9	36.4	24.3
91.8	84.5	75.7	93.4	66.8	55.3
79.0	56.1	44.2	68.0	60.1	49.2
74.7	63.9	52.2	75.5	55.5	42.8
16.6	11.8	4.2	19.4	2.9	0.0
78.6	69.2	57.7	80.6	38.0	26.2
43.6	32.0	20.7	43.3	31.7	21.1
77.0	65.8	53.8	77.8	67.3	54.9
..	0.0	0.0	0.0	3.9	0.4
	3,259,850			2,235,139	
	107			140	
61.2	45.6	32.8	58.4	43.2	31.1
37.5	24.7	13.7	35.6	17.0	6.5
45.1	26.5	15.8	37.3	24.0	13.5
40.6	43.8	31.2	56.5	24.8	13.9
..	7.7	0.6	14.8
48.4	36.4	23.9	49.0	34.7	23.5
91.3	82.9	73.0	92.8	65.0	52.7
78.9	51.8	39.1	64.5	55.9	44.1
73.7	61.4	48.8	74.0	53.5	40.9
19.2	13.2	4.5	22.0	2.8	0.0
74.3	65.2	52.6	77.9	39.9	27.6
47.0	34.7	22.3	47.1	32.8	21.3
85.9	71.9	60.0	83.8	76.9	67.0
..	0.0	0.0	0.0	4.6	0.5
	2,797,059			1,856,075	
	94			124	

Social or behavioural					Other
UCL	%	LCL	UCL	%	
49.4	57.0	30.2	83.7	17.0	
27.9	15.3	0.0	30.9	..	
30.3	20.2	0.0	40.9	13.1	
40.3	37.4	10.8	64.1	2.3	
18.4	0.0	
48.4	31.6	4.1	59.1	8.2	
78.3	80.5	58.5	100.0	63.7	
71.1	62.7	33.8	91.7	27.2	
68.2	71.7	47.1	96.2	22.0	
5.8	0.0	0.0	0.0	0.0	
49.8	62.5	34.1	91.0	32.2	
42.3	22.0	1.6	42.5	27.7	
79.8	59.7	31.3	88.0	46.0	
7.3	0.0	0.0	0.0	32.3	
716,546				700,751	
21				22	
55.4	55.1	27.2	83.1	21.2	
27.5	15.9	0.0	32.4	..	
34.5	21.1	0.0	42.8	16.4	
35.7	39.0	11.2	66.9	2.8	
..	0.0	
45.8	33.0	4.1	61.8	10.2	
77.2	79.7	56.6	100.0	79.6	
67.6	61.1	31.0	91.3	34.0	
66.1	72.3	46.6	98.0	27.5	
5.9	0.0	0.0	0.0	0.0	
52.2	62.8	32.9	92.6	40.3	
44.3	20.5	0.0	41.5	34.7	
86.8	60.4	30.8	90.0	57.5	
8.8	0.0	0.0	0.0	15.4	
686,880				560,376	
19				21	

LCL	UCL

0.0	35.8
..	..
0.0	30.9
0.0	5.7
0.0	0.0
0.0	17.6
36.1	91.3
3.8	50.5
1.0	43.0
0.0	0.0
5.9	58.5
3.3	52.2
17.4	74.6
4.1	60.6

0.0	44.1
..	..
0.0	38.1
0.0	7.1
0.0	0.0
0.0	21.9
58.9	100.0
6.8	61.1
2.7	52.3
0.0	0.0
10.9	69.6
7.0	62.4
28.0	87.1
0.0	34.0

--	--

Table 4: Impact on caring

Great Britain, 14 to 24 May 2020

Among those who said coronavirus was affecting their caring responsibilities (see Table 2):
In the past seven days, how have your caring responsibilities been affected? ²

- (1) I am spending more time caring for others
- (2) I am unable to care for someone I usually support (for example, unable to spend as much time as would like to or unable to travel to them)
- (3) I am having to organise remote support for someone vulnerable (for example, online grocery shopping)
- (4) Paid care support is reduced (for example, childcare, respite care, social care support)
- (5) Other

Weighted count

Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 May to 24 May

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with the Equality Act 2010.
2. Respondents were able to choose more than one option.
3. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above analysis.

See Notes page for more information.

[back to contents](#)

All persons total			Disabled			Non-disabled
%	LCL	UCL	%	LCL	UCL	%
48.6	38.3	58.8	45.2	23.6	66.7	51.6
38.9	29.3	48.6	32.1	13.9	50.4	37.5
10.6	3.0	18.3	13.3
7.6	2.8	12.4	8.9	0.0	18.8	7.8
12.7	6.9	18.5	14.9	4.0	25.8	12.8
5,040,334			808,017			3,976,543
197			49			139

1

LCL	UCL
-----	-----

39.7 63.5

26.2 48.8

3.7	22.9
2.0	13.6
5.8	19.8

Table 5: Impact on finances
Great Britain, 14 to 24 May 2020

Among those who said coronavirus was affecting their household finances (see Table 2):

In the past seven days, how have your household finances been affected? ²

- (1) Reduced income
- (2) No income
- (3) Use of my savings to cover living costs
- (4) Unable to save as usual
- (5) Had to borrow money or use credit (for example, using credit cards, overdrafts, or taking out loans, including borrowing more from friends, family, neighbours or other personal connection)
- (6) Delay to sick pay
- (7) Delay to State welfare benefits (for example, Universal Credit)
- (8) Had to use food banks
- (9) Struggling to pay bills (for example, food, energy)
- (10) Care costs increased (for example, childcare, social care)
- (11) Providing financial support to friends and family
- (12) Pension value is being affected by economic instability
- (13) Savings value is being affected by economic instability
- (14) Other

Weighted count

Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 May to 24 May

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with the Equality Act 2010.

2. Respondents were able to choose more than one option.

3. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above

See Notes page for more information.

[back to contents](#)

All persons total			Disabled			Non-disabled
%	LCL	UCL	%	LCL	UCL	%
73.9	67.8	79.9	76.1	65.4	86.8	72.8
8.0	4.3	11.8	5.2	0.0	10.9	9.0
22.2	16.4	28.0	17.7	7.6	27.8	23.8
25.3	19.6	31.0	18.6	9.4	27.8	27.5
12.0	7.6	16.5	16.3	6.2	26.4	11.1
0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.9	0.5	3.3	2.1
0.7	0.0	1.7
10.4	6.5	14.2	22.4	11.2	33.5	7.5
..
7.6	3.8	11.4	4.2	0.3	8.1	8.8
12.0	8.0	16.0	7.6	1.9	13.2	13.1
22.3	16.9	27.7	15.5	7.1	24.0	24.4
5.2	2.3	8.2	8.1	0.3	16.0	4.7
12,667,291			2,542,724			9,741,314
352			92			247

1

LCL	UCL
-----	-----

65.5	80.1
4.4	13.7
17.1	30.4
20.6	34.4
5.8	16.3
0.0	0.0
0.4	3.9
..	..
3.5	11.4
..	..
3.9	13.7
2.5	8.1
17.7	31.2
1.5	7.9

Table 6: Impact on work
Great Britain, 14 to 24 May 2020

Among those who said coronavirus was affecting their work (see Table 2):

In the past seven days, how has your work been affected? ²

- 1 'Increase in hours worked'
- 2 'Decrease in hours worked '
- 3 'I have been furloughed'
- 4 'Temporary closure of own business'
- 5 'Permanent closure of own business'
- 6 'Redundancy'
- 7 'Asked to take leave (include paid and unpaid leave)'
- 8 'Unable to take leave'
- 9 'Unable to look for work'
- 10 'Working long hours with no breaks or reduced breaks'
- 11 'Finding working from home difficult'
- 12 'Unable to work due to self-isolation (for example, not leaving your home and looking after yourself if you or someone you live with has symptoms)'
- 13 'I am worried about my health and safety at work'
- 14 'Asked to work from home'
- 15 'Unable to continue voluntary work'
- 16 'Unable to work due to lack of public transport'
- 17 'I have to work around homeschooling responsibilities'
- 18 'Unable to work at all due to homeschooling responsibilities'
- 19 'I will have to work around childcare responsibilities'
- 20 'Unable to work at all due to childcare responsibilities'
- 21 'I have to work around other caring responsibilities'
- 22 'Unable to work at all due to other caring responsibilities'
- 23 'Other'

Weighted count

Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 May to 24 May

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with the Equality Act 2010.

2. Respondents were able to choose more than one option.

3. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above

See Notes page for more information.

[back to contents](#)

All persons total			Disabled		
%	LCL	UCL	%	LCL	UCL
16.2	12.3	20.2	11.2	3.3	19.1
21.3	16.8	25.8	19.2	7.9	30.5
26.7	22.1	31.3	26.4	14.8	38.0
8.9	5.7	12.2	5.6	0.5	10.8
0.9	0.1	1.6	0.0	0.0	0.0
2.4	0.7	4.2
3.4	1.7	5.1	1.6	0.0	3.7
2.5	0.6	4.4	0.5	0.0	1.1
3.7	1.4	6.0	3.4	0.6	6.1
6.6	4.2	8.9	6.2	0.5	11.8
14.6	10.9	18.2	10.4	3.6	17.3
2.1	0.2	4.0	1.2	0.0	2.8
15.4	11.3	19.5	16.5	7.2	25.8
18.7	15.0	22.5	16.7	6.1	27.4
0.5	0.0	1.0
..	0.0	0.0	0.0
6.3	4.0	8.5	5.4	0.0	11.0
1.1	0.3	2.0
7.5	5.1	10.0	6.5	0.3	12.7
0.9	0.2	1.7	0.6	0.0	1.4
2.3	0.5	4.1
1.5	0.0	3.4
11.0	7.7	14.2	7.0	1.6	12.4
22,698,435			3,207,979		
631			105		

Non-disabled

%	LCL	UCL
---	-----	-----

17.4	12.9	21.9
21.1	16.2	25.9
26.7	21.5	32.0
9.5	5.7	13.3
1.0	0.1	2.0
1.8	0.5	3.2
3.6	1.6	5.6
1.7	0.4	3.0
3.9	1.2	6.6
6.9	4.2	9.6
15.6	11.4	19.9
2.2	0.0	4.5
14.4	10.0	18.7
19.7	15.5	23.9
0.4	0.0	1.0
..
6.6	4.0	9.2
1.1	0.1	2.0
7.9	5.1	10.7
1.0	0.1	1.9
2.7	0.5	4.8
1.8	0.0	4.1
11.5	7.7	15.2

18,748,570
501

Table 7: Perceptions of the future following the COVID-19 outbreak

Great Britain, 14 to 24 May 2020

How long do you think it will be before your life returns to normal?

Less than one month

1 to 3 months

4 to 6 months

7 to 9 months

10 to 12 months

More than a year

Never

Not sure

Weighted Count

Sample Size

How do you expect the financial position of your household to change over the next 12 months?

Get a lot better

Get a little better

Stay the same

Get a little worse

Get a lot worse

Don't know

Weighted Count

Sample Size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with the Equality Act 2010.

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are represented. Impairment status is shown for disabled (as defined above) respondents only.

3. Missing option of 'Prefer not to say' has been excluded when conducting the analysis for the first question in the survey.

See Notes page for more information.

[back to contents](#)

All persons total			Disabled			Non-disabled
%	LCL	UCL	%	LCL	UCL	%
0.5	0.1	1.0	0.8	0.0	1.9	0.4
9.1	7.1	11.1	7.3	3.9	10.6	9.9
19.1	16.7	21.5	16.4	11.9	20.9	19.6
11.4	9.3	13.4	8.3	4.8	11.9	12.8
11.8	9.8	13.8	11.5	8.0	15.0	12.3
22.9	20.3	25.6	26.3	20.8	31.8	21.8
3.9	2.8	5.0	7.6	4.6	10.5	2.4
21.3	18.7	23.9	21.9	17.2	26.7	20.8
51,945,193			12,440,797			37,246,559
2,019			599			1,339
3.2	2.0	4.3
13.8	11.5	16.0	8.5	5.5	11.6	15.4
44.9	41.8	48.0	53.3	47.4	59.2	42.4
30.6	27.5	33.6	27.1	21.5	32.7	32.0
7.3	5.7	8.9	9.1	6.1	12.1	6.5
0.3	0.0	0.7
52,081,184			12,440,797			37,382,550
2,023			599			1,343

and in each of those impairment categories in this analysis.

see table.

d	Impairment type:						
			Vision			Hearing	
	LCL	UCL	%	LCL	UCL	%	LCL
	0.0	0.9	0.0	0.0	0.0
	7.4	12.4	22.9	2.1	43.8
	16.7	22.5	16.3	4.5	28.0	15.1	6.3
	10.3	15.4	2.1	0.0	4.8	7.5	0.5
	9.8	14.8	8.3	0.4	16.2	11.4	3.0
	18.7	25.0	14.9	3.9	25.8	28.2	15.3
	1.5	3.3	2.4	0.0	6.6	10.3	2.8
	17.6	23.9	33.1	16.0	50.2	19.8	10.5
			1,033,040			1,108,486	
			62			96	

	12.5	18.2	2.7	0.0
	38.7	46.1	61.9	44.4	79.4	57.6	44.3
	28.3	35.7	21.0	8.1	34.0	27.8	16.1
	4.7	8.4	13.2	2.0	24.4	11.9	3.2
	0.0	0.0	0.0	0.0	0.0
			1,033,040			1,108,486	
			62			96	

Mobility				Dexterity		
UCL	%	LCL	UCL	%	LCL	UCL
..
..	6.4	2.1	10.6
23.9	12.5	8.0	16.9	17.2	10.1	24.3
14.5	7.5	1.0	14.0
19.7	15.1	9.8	20.3	14.8	7.2	22.4
41.0	25.3	18.1	32.4	24.9	14.3	35.5
17.9	12.5	7.0	17.9	9.7	3.9	15.5
29.1	21.5	15.4	27.5	16.3	9.8	22.9
	5,260,543			3,001,192		
	311			169		
..
5.9	7.6	3.2	12.0	10.0	3.4	16.5
70.8	55.0	47.2	62.8	42.4	31.9	52.9
39.5	22.6	16.2	29.0	34.7	24.7	44.7
20.6	12.0	7.3	16.7	9.9	4.2	15.7
0.0
	5,260,543			3,001,192		
	311			169		

Learning			Memory			N
%	LCL	UCL	%	LCL	UCL	
..	
..	12.1	2.0	22.3	
10.4	0.0	19.9	7.1	1.8	12.5	
6.8	0.0	14.6	
10.7	2.8	18.5	14.6	6.2	23.1	
29.9	17.1	42.7	23.7	11.8	35.5	
13.1	2.6	23.5	13.5	3.7	23.3	
21.4	11.0	31.8	20.6	11.0	30.3	
2,220,700			2,287,388			
76			98			
..	
6.7	0.6	12.7	7.0	1.1	12.9	
57.1	43.8	70.4	61.5	49.2	73.9	
17.8	7.3	28.2	18.7	9.8	27.6	
15.6	6.2	25.0	12.3	4.0	20.6	
..	
2,220,700			2,287,388			
76			98			

Mental health			Stamina			Social
%	LCL	UCL	%	LCL	UCL	
..	
8.2	1.9	14.5	7.5	2.1	12.9	
18.2	9.7	26.6	15.7	9.1	22.3	
..	
9.7	3.8	15.6	10.9	6.1	15.8	
25.5	17.1	33.8	27.5	18.6	36.4	
9.0	3.3	14.8	9.8	4.2	15.3	
20.5	12.2	28.9	20.5	14.1	26.9	
4,204,801			4,227,026			
138			245			
..	
9.3	3.5	15.1	9.1	4.3	13.8	
51.7	41.1	62.3	56.9	48.4	65.4	
26.5	17.1	35.8	22.1	14.8	29.4	
11.5	5.1	18.0	11.5	5.9	17.1	
..	
4,204,801			4,227,026			
138			245			

or behavioural			Other		
%	LCL	UCL	%	LCL	UCL
..
..
29.5	8.0	50.9	21.7	0.0	43.5
10.1	0.0	26.9
9.9	0.0	21.7	9.7	0.0	25.5
24.8	8.4	41.1	21.7	5.7	37.7
9.2	0.0	20.7	8.9	0.0	21.7
8.7	0.0	17.9	27.0	5.7	48.3
934,728			992,537		
30			36		
..
12.5	0.0	28.1
44.3	21.8	66.8	52.2	28.4	76.0
29.1	7.3	50.8	25.3	2.7	47.9
8.3	0.0	18.6	18.8	2.4	35.1
..
934,728			992,537		
30			36		

Table 8: Opinions of the economic situation*Great Britain, 14 to 24 May 2020*[back to contents](#)

	All persons tot
	%
In view of the general economic situation, do you think you will be able to save any money in the next twelve months?	
Yes	33.9
No	38.6
Don't know	26.7
Prefer not to say	0.8
<i>Weighted count</i>	52,081,184
<i>Sample size</i>	2,023
Could your household afford to pay an unexpected, but necessary, expense of £850?	
Yes	57.2
No	29.1
Don't know	9.9
Prefer not to say	3.8
<i>Weighted count</i>	52,081,184
<i>Sample size</i>	2,023

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with the Equality Act 2010.

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are represented by all selected impairments. Impairment status is shown for disabled (as defined above) respondents only.

See Notes page for more information.

ents

al	Disabled					Non-disabled		
	LCL	UCL	%	LCL	UCL	%	LCL	UCL
	31.0	36.7	23.7	18.9	28.5	37.1	33.5	40.7
	35.6	41.7	49.8	43.9	55.7	35.2	31.6	38.8
	23.7	29.7	25.3	20.3	30.3	27.4	23.8	31.1
	0.3	1.3	1.2	0.0	2.7	0.2	0.0	0.4
			12,440,797			37,382,550		
			599			1,343		
	54.2	60.3	49.2	43.5	55.0	61.1	57.2	64.9
	26.3	31.8	39.9	34.2	45.7	25.0	21.6	28.4
	7.9	11.9	9.7	5.6	13.9	9.6	7.2	11.9
	2.5	5.1	1.1	0.1	2.1	4.4	2.6	6.1
			12,440,797			37,382,550		
			599			1,343		

ed in each of those impairment categories in this analysis.

Impairment type:						
Vision			Hearing			
%	LCL	UCL	%	LCL	UCL	
23.2	6.0	40.3	25.5	14.4	36.6	
45.7	27.4	63.9	42.8	29.6	56.0	
..	
..	
1,033,040			1,108,486			
62			96			
44.4	26.1	62.7	62.3	49.4	75.2	
40.7	21.8	59.5	32.1	19.3	44.9	
..	
..	
1,033,040			1,108,486			
62			96			

Mobility			Dexterity		
%	LCL	UCL	%	LCL	UCL
15.0	10.5	19.5	15.8	8.5	23.0
59.8	52.6	66.9	58.2	48.3	68.1
..
..
5,260,543			3,001,192		
311			169		
45.0	38.4	51.7	49.0	38.0	60.0
46.7	39.7	53.7	45.2	34.1	56.4
7.7	3.5	11.8
0.6	0.0	1.3
5,260,543			3,001,192		
311			169		

Learning			Memory		
%	LCL	UCL	%	LCL	UCL
26.2	15.2	37.3	20.0	9.7	30.2
54.1	41.6	66.6	57.8	46.0	69.7
..
..
2,220,700			2,287,388		
76			98		
27.9	16.9	38.9	30.0	20.5	39.5
58.7	46.7	70.7	61.6	51.1	72.1
..
..
2,220,700			2,287,388		
76			98		

Mental health			Stamina		
%	LCL	UCL	%	LCL	UCL
22.9	14.3	31.4	21.5	14.9	28.2
52.0	43.1	60.8	54.7	46.4	63.0
..
..
4,204,801			4,227,026		
138			245		
31.2	22.0	40.4	53.6	45.4	61.8
60.9	51.4	70.3	39.8	31.7	47.9
..	4.8	0.6	9.1
..	1.8	0.0	4.3
4,204,801			4,227,026		
138			245		

Social or behavioural			Other		
	%	LCL	UCL		LCL
	31.4	9.8	53.0	6.1	0.1
	34.0	13.9	54.7	26.0	7.8
..

934,728				992,537	
30				40	
	16.2	2.6	29.9	31.0	12.0
	72.0	51.2	92.2	51.0	28.3
..
..
934,728				992,537	
30				36	

_____ **UCL** _____

_____ 12.0 _____

_____ 44.5 _____

.. ..

_____ 50.0 _____

_____ 74.6 _____

.. ..

Table 9: Enough information to protect yourself*Great Britain, 14 to 24 May 2020*[back to contents](#)

	All persons tot
	%
Do you feel like you have enough information about how to protect yourself from the virus?	
Yes	80.6
No	11.6
Not sure	7.8
<i>Weighted count</i>	51,564,970
<i>Sample sizes</i>	2,012
Do you feel like you have enough information about the UK's plan for dealing with the virus?	
Yes	42.1
No	42.5
Not sure	15.4
<i>Weighted count</i>	51,677,214
<i>Sample sizes</i>	2,010

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are represented by the sum of all selected impairments. Impairment status is shown for disabled (as defined above) respondents only.

3. Missing options of 'Prefer not to say' has been excluded when conducting the analysis.

See Notes page for more information.

ents

al	Disabled					Non-disabled	
	LCL	UCL	%	LCL	UCL	%	LCL
	77.9	83.2	78.8	74.2	83.5	81.6	78.3
	9.4	13.8	13.8	9.8	17.9	10.9	8.2
	6.0	9.6	7.3	4.3	10.4	7.5	5.3
			12,270,251			37,167,169	
			596			1,338	
	39.0	45.3	38.9	33.1	44.8	44.2	40.5
	39.4	45.6	40.8	34.9	46.7	42.3	38.5
	13.1	17.6	20.3	15.2	25.4	13.5	11.0
			12,399,145			37,129,337	
			595			1,336	

sented in each of those impairment categories in this analysis.

Impairment type:						
UCL	Vision			Hearing		
	%	LCL	UCL	%	LCL	UCL
84.8	84.5	72.1	97.0	77.5	65.2	89.8
13.6	5.3	0.0	10.8	17.9	6.3	29.5
9.7	10.2	0.0	21.6	4.6	0.0	9.7
	1,028,031			1,093,877		
	61			95		
48.0	34.5	17.4	51.6	33.6	21.5	45.6
46.0	42.2	23.5	60.9	40.8	26.6	54.9
16.0	23.3	7.8	38.7	25.7	14.1	37.3
	1,028,031			1,093,877		
	61			95		

Mobility			Dexterity		
%	LCL	UCL	%	LCL	UCL
77.7	70.7	84.7	81.1	71.1	91.0
16.1	9.8	22.5	15.6	6.1	25.2
6.2	2.7	9.6	3.3	0.5	6.1
5,240,924			2,996,183		
309			168		
36.9	29.2	44.7	37.6	26.9	48.4
43.3	35.3	51.4	45.4	34.1	56.7
19.7	13.4	26.1	17.0	8.7	25.3
5,226,101			2,981,359		
308			167		

Learning			Memory		
%	LCL	UCL	%	LCL	UCL
78.6	67.6	89.6	74.7	64.4	85.1
12.2	3.2	21.3	15.7	7.2	24.2
9.2	1.8	16.6	9.6	2.1	17.1
2,220,700			2,287,388		
76			98		
37.2	23.6	50.9	32.8	20.5	45.1
44.2	30.7	57.7	44.1	31.8	56.4
18.6	7.6	29.6	23.1	11.9	34.3
2,220,700			2,287,388		
76			98		

Mental health			Stamina		
%	LCL	UCL	%	LCL	
69.6	60.3	78.8	77.7	69.0	
16.8	9.4	24.2	14.3	7.2	
13.6	6.1	21.2	8.0	1.6	
4,204,801			4,222,017		
138			244		
24.0	16.0	32.0	34.1	25.8	
51.8	41.2	62.4	44.6	35.8	
24.2	14.7	33.6	21.3	13.6	
4,204,801			4,199,984		
138			242		

UCL	Social or behavioural			UCL	Other	
	%	LCL			%	LCL
86.4	72.4	51.1	93.7		78.8	58.1
21.4		10.0	0.0
14.3		11.2	0.0
	934,728				992,537	
	30				36	
42.4	38.7	17.0	60.3		44.9	20.6
53.4	52.8	30.4	75.3		33.6	12.6
29.0	8.5	0.0	17.7		21.4	2.0
	919,904				992,537	
	29				36	

UCL

99.4
25.2
27.4

69.3
54.6
40.9

--

Table 10: Working from home
Great Britain, 14 to 24 May 2020

[back to contents](#)

	All persons total	
	%	LCL
Among those who said they were working:		
In the past seven days, have you worked from home because of the Coronavirus (COVID-19) outbreak?		
Yes	40.4	36.9
Not able to	35.8	32.0
No	23.9	20.4
<i>Weighted count</i>	31,989,819	
<i>Sample size</i>	935	
Among those who said they were working:		
Worked from home and didn't travel to work	32.3	28.8
Didn't work from home and travelled to work	30.0	26.2
Both worked from home and travelled to work	7.5	5.4
Didn't work from home and didn't travel to work	30.1	26.4
<i>Weighted count</i>	30,599,787	
<i>Sample size</i>	880	

Source: *Opinions and Lifestyle Survey (COVID-19 module)*, 14 to 24 May 2020

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day to day activities. This
2. Participants can select all impairments that apply. If a participant has multiple impairments, they are represented. Impairment status is shown for disabled (as defined above) respondents only.
3. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the analysis.

See Notes page for more information.

Disabled				Non-disabled		
UCL	%	LCL	UCL	%	LCL	UCL
43.8	41.0	31.1	50.8	41.5	37.5	45.5
39.5	40.1	30.2	50.1	34.5	30.2	38.8
27.3	18.9	11.7	26.1	24.0	20.1	27.9
	4,587,918			25,957,593		
	159			733		
35.8	32.9	22.9	42.9	33.1	29.2	37.1
33.9	29.7	19.2	40.3	29.2	24.9	33.4
9.7	5.7	1.3	10.0	8.2	5.6	10.8
33.8	31.7	21.1	42.3	29.5	25.2	33.8
	4,085,865			25,079,885		
	141			697		

esented in each of those impairment categories in this analysis.

S.

Impairment type:						
Vision			Hearing			Mobility
%	LCL	UCL	%	LCL	UCL	%
38.5	5.6	71.5	78.5	37.5	100.0	39.3
..	35.8
..	24.9
287,985			90,882			1,219,480
12			9			47
24.6	0.0	54.4	70.4	10.6	100.0	35.5
..
..
60.5	28.3	92.6	45.8
287,985			65,941			1,132,242
12			6			40

		Dexterity		Learning, understanding o	
LCL	UCL	%	LCL	UCL	%
23.7	54.8	25.2	8.8	41.7	26.1
20.8	50.8	45.1	25.8	64.4	57.6
12.5	37.3	29.6	11.9	47.4	16.3
		911,489			685,812
		31			22
19.8	51.2
..	..	29.7	9.2	50.1	35.8
..
28.5	63.1	46.6	24.1	69.1	39.9
		845,683			669,185
		26			20

or concentrating		Memory			Mental health	
LCL	UCL	%	LCL	UCL	%	LCL
6.5	45.7	51.2	26.0	76.5	47.0	32.3
34.6	80.6	42.2	27.0
0.8	31.8	10.8	3.5
		458,293			1,807,984	
		18			56	
..	..	33.4	8.9	57.8	33.1	19.9
13.7	57.8	25.6	0.0	52.2	30.4	14.9
..	9.9	1.7
15.4	64.5	26.5	13.0
		447,541			1,623,892	
		16			53	

Stamina				Social or behavioural			
UCL	%	LCL	UCL	%	LCL	UCL	
61.6	25.9	13.7	38.1	
57.4	45.6	30.5	60.8	87.0	72.5	100.0	
18.1	28.5	14.1	42.8	
	1,258,944			423,457			
	53			11			
46.4	20.7	8.6	32.9	
45.9	62.4	28.8	96.1	
18.1	
40.1	60.3	45.1	75.6	35.5	1.7	69.3	
	1,188,351			423,457			
	46			11			

Other			
	%	LCL	UCL

..
37.6	0.0	86.4

..
----	----	----

322,405
10

..
40.4	0.0	94.4

..
8.6	0.0	24.9

303,957
8

Table 11: Spending time at home

Great Britain, 14 to 24 May 2020

What is helping you to cope whilst staying at home?

Spending time with others that you live with

Staying in touch with family and friends remotely

Using the internet to continue your usual activities

Cooking

Reading

Arts activities

DIY activities

Exercising indoors

Exercising outdoors

Following lockdown tips and guides made by celebrities and athletes

Gardening

Learning something new

Watching tv, films or using streaming services

Playing video games

Online plays or theatre performances

Virtual tours of cultural or historical sites

Working

Using other online sources of support and information

Limiting how often you listen to or watch the news

Other (please specify)

Struggling to find things that are helping me cope

Weighted count

Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 May to 24 May

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with the Equality Act 2010.

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are reported. Impairment status is shown for disabled (as defined above) respondents only.

3. Respondents were able to choose more than one option.

4. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above

See Notes page for more information.

[back to contents](#)

All persons total			Disabled			Non-disabled
%	LCL	UCL	%	LCL	UCL	%
60.0	57.1	62.9	47.1	41.1	53.2	64.4
78.2	75.6	80.8	72.5	67.0	78.0	80.4
45.6	42.4	48.8	42.8	36.7	48.9	46.9
44.6	41.6	47.6	33.8	28.3	39.2	48.2
41.1	38.1	44.1	44.8	39.0	50.6	40.2
22.6	20.0	25.2	25.3	20.1	30.6	22.7
33.6	30.7	36.6	31.5	25.8	37.1	35.3
26.0	23.3	28.7	23.3	18.4	28.2	27.2
54.0	51.0	57.0	33.9	28.3	39.4	61.9
1.8	1.0	2.5	3.0	0.8	5.1	1.4
44.6	41.5	47.7	41.0	35.2	46.9	46.6
11.3	9.3	13.4	8.0	5.2	10.8	12.2
66.5	63.5	69.5	64.4	58.7	70.1	67.3
21.8	19.3	24.2	16.4	11.7	21.0	23.2
6.8	5.1	8.5	6.8	3.7	9.9	6.4
4.2	2.8	5.6	3.9	2.0	5.8	4.6
30.9	28.2	33.5	19.3	14.2	24.4	35.3
8.1	6.4	9.8	8.7	5.6	11.8	8.2
32.2	29.4	35.0	35.7	30.0	41.3	31.6
4.4	3.0	5.8	6.7	3.6	9.8	3.8
0.9	0.4	1.3	2.7	0.9	4.4	0.2
51,470,231			12,321,143			37,000,357
2,004			593			1,332

presented in each of those impairment categories in this analysis.

analysis.

		Impairment type:						
		Vision			Hearing			
LCL	UCL	%	LCL	UCL	%	LCL	UCL	
61.0	67.9	39.7	22.5	56.9	36.0	22.5	49.5	
77.3	83.5	67.9	49.7	86.2	76.2	64.8	87.6	
43.1	50.8	51.0	32.7	69.2	32.3	19.1	45.5	
1.9	44.6	33.7	16.6	50.7	31.4	19.5	43.2	
36.5	43.9	46.4	28.6	64.1	58.9	45.8	71.9	
19.6	25.9	37.7	19.5	55.8	21.7	10.8	32.5	
31.7	38.9	27.9	9.0	46.7	28.5	15.5	41.5	
23.9	30.6	36.1	18.8	53.3	29.2	16.7	41.7	
58.2	65.6	40.4	21.3	59.5	29.9	18.0	41.8	
0.7	2.2	0.0	0.0	0.0	0.0	0.0	0.0	
42.8	50.4	43.4	25.0	61.8	50.7	37.4	63.9	
9.6	14.8	11.7	0.0	23.8	8.7	2.1	15.3	
63.7	71.0	78.4	64.5	92.3	74.6	63.4	85.7	
20.1	26.3	11.3	0.3	22.3	3.2	0.0	7.2	
4.5	8.3	6.4	1.0	11.7	
2.7	6.4	4.2	0.0	9.5	
31.8	38.8	8.5	0.0	18.5	
6.1	10.4	8.7	0.0	18.0	12.6	3.0	22.3	
28.2	35.1	40.2	21.3	59.1	32.5	20.3	44.7	
2.3	5.4	4.9	0.0	11.6	9.0	1.4	16.6	
0.0	0.4	3.5	0.0	8.6	
		1,007,516			1,105,428			
		60			95			

Mobility			Dexterity			Learning	
%	LCL	UCL	%	LCL	UCL	%	LCL
43.4	36.0	50.8	47.5	36.4	58.7	40.0	25.6
73.9	67.1	80.7	77.6	67.4	87.8	57.9	43.5
40.4	32.7	48.0	47.0	36.3	57.7	33.0	19.8
30.7	23.7	37.7	39.9	29.3	50.5	23.2	11.9
43.9	36.9	50.8	43.6	33.2	53.9	30.2	16.4
21.5	15.4	27.6	17.3	10.7	23.8	29.2	14.6
26.8	19.3	34.4	38.4	27.0	49.8	24.3	12.6
23.5	17.1	29.8	25.2	16.3	34.1	17.7	7.3
22.2	16.1	28.3	34.5	24.3	44.8	36.2	22.5
1.1	0.0	2.7
42.2	34.7	49.7	49.0	37.5	60.4	31.3	17.6
7.0	3.8	10.3	5.8	1.9	9.7	12.0	2.8
65.2	58.1	72.3	62.1	51.1	73.1	55.4	41.1
13.4	8.1	18.6	15.9	8.1	23.7	18.4	8.7
4.7	2.1	7.4	4.1	0.6	7.7	4.3	0.0
4.6	1.5	7.8	4.2	0.1	8.3
9.8	5.2	14.4	11.5	3.7	19.3	11.5	3.6
14.0	8.6	19.4	12.2	5.6	18.8	14.8	4.8
33.6	26.3	40.9	44.9	33.8	56.0	26.4	15.1
5.9	2.3	9.5	5.3	0.6	10.0	7.6	0.5
3.6	0.7	6.5	1.7	0.0	3.9	6.2	0.0
5,147,781			2,965,871			2,125,023	
306			166			72	

UCL	Memory			Mental health			Stamina	
	%	LCL	UCL	%	LCL	UCL	%	
54.4	34.2	21.0	47.4	35.8	25.2	46.3	47.1	
72.3	50.4	37.3	63.5	65.7	55.5	76.0	79.2	
46.2	37.3	24.9	49.7	36.3	26.0	46.7	44.8	
34.5	21.5	11.6	31.3	25.7	16.9	34.6	37.3	
44.0	36.0	22.7	49.4	36.7	26.3	47.0	42.3	
43.8	38.3	24.0	52.6	27.2	17.7	36.7	27.1	
36.1	27.5	15.3	39.7	33.4	23.7	43.1	19.0	
28.1	20.3	10.3	30.3	27.9	18.4	37.5	23.3	
49.9	30.9	18.6	43.2	32.8	23.0	42.6	27.8	
..	3.1	0.0	6.7	3.8	
44.9	42.3	28.5	56.0	28.5	19.5	37.6	47.7	
21.1	8.5	1.1	16.0	10.2	4.7	15.7	8.6	
69.6	62.3	49.0	75.5	63.7	53.8	73.6	66.5	
28.1	13.6	5.6	21.6	26.8	18.6	35.1	13.2	
9.5	1.1	0.0	2.6	10.2	3.7	16.7	6.8	
..	5.7	0.1	11.2	2.2	0.0	5.0	4.9	
19.5	7.4	1.3	13.6	20.0	12.1	27.8	8.3	
24.7	16.8	6.6	26.9	13.8	7.4	20.2	14.2	
37.7	32.4	21.0	43.9	40.5	30.3	50.7	36.4	
14.7	9.2	2.0	16.4	5.4	1.4	9.4	6.7	
13.1	5.1	0.0	11.3	4.2	0.1	8.2	2.0	
2,191,711				4,172,539			4,206,883	
94				136			243	

Social or behavioural					Other			
LCL	UCL	%	LCL	UCL	%	LCL	UCL	
38.7	55.5	25.7	8.2	43.2	33.7	11.2	56.1	
71.6	86.8	66.8	47.1	86.5	49.7	26.3	73.1	
35.3	54.4	27.2	6.9	47.5	47.9	24.4	71.4	
28.8	45.8	16.4	2.4	30.5	13.2	1.6	24.8	
34.5	50.2	18.0	4.5	31.5	39.8	17.6	61.9	
19.7	34.5	26.2	4.4	48.1	
11.6	26.4	32.3	12.2	52.4	33.7	11.6	55.9	
15.7	30.9	19.6	4.5	34.7	4.3	0.0	9.4	
20.2	35.5	41.0	18.5	63.5	36.5	13.5	59.5	
0.0	7.6	11.7	0.0	25.5	0.0	0.0	0.0	
38.7	56.8	24.3	6.5	42.2	26.7	9.1	44.4	
4.0	13.3	7.9	0.0	16.6	5.6	0.0	11.6	
58.8	74.3	57.7	36.6	78.7	44.3	21.2	67.5	
6.9	19.5	31.0	12.2	49.8	5.6	0.0	15.0	
2.1	11.5	3.9	0.0	9.1	
1.4	8.4	0.0	0.0	0.0	5.1	0.0	13.7	
4.0	12.7	9.2	0.0	21.3	28.7	6.1	51.3	
8.1	20.4	8.3	0.0	18.2	3.2	0.0	7.6	
28.1	44.6	33.4	12.8	54.1	32.7	11.3	54.1	
2.2	11.2	3.9	0.0	9.4	25.2	3.7	46.7	
0.0	4.2	
934,728					992,537			
30					36			

Table 12: Avoiding contact with people

Great Britain, 14 to 24 May 2020

[back to content](#)

	All persons tota
	%
In the past seven days, have you avoided contact with older people or other vulnerable people because of the Coronavirus (COVID-19) outbreak?	
Yes	98.3
Weighted count	51,611,884
Sample size	2,010
In the past seven days, have you avoided contact with older people or other vulnerable people because of the Coronavirus (COVID-19) outbreak?	
Yes	89.3
Weighted count	51,739,310
Sample size	2,017
Among those who said they have avoided contact with older or vulnerable people: Do you have care responsibilities for any of the people you may have had to avoid contact with?	
Yes	10.2
Weighted count	46,223,581
Sample size	1,747

Source: *Opinions and Lifestyle Survey (COVID-19 module)*, 14 to 24 May 2020**Notes**

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day to day activities. This definition is consistent with
2. Participants can select all impairments that apply. If a participant has multiple impairments, they are represented by the most severe impairment. Impairment status is shown for disabled (as defined above) respondents only.
3. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above analysis.

See Notes page for more information.

:S

I	Disabled					Non-disabled	
	LCL	UCL	%	LCL	UCL	%	LCL
	97.6	99.1	95.9	93.2	98.5	99.0	98.5
			12,269,657 593			37,160,864 1,338	
	87.6	91.1	87.6	84.0	91.2	90.3	88.3
			12,440,797 599			37,089,551 1,338	
	8.1	12.3	4.5	2.2	6.8	11.6	8.9
			10,899,304 514			33,492,576 1,167	

ated in each of those impairment categories in this analysis.

/sis.

Impairment type:						
UCL	Vision			Hearing		
	%	LCL	UCL	%	LCL	UCL
99.6	100.0	100.0	100.0	94.6	88.7	100.0
	927,037 61			1,108,486 96		
92.3	95.5	89.8	100.0	85.6	76.9	94.3
	1,033,040 62			1,108,486 96		
14.3	3.8	0.0	9.4	2.3	0.0	5.5
	986,462 57			948,494 84		

Mobility			Dexterity		
%	LCL	UCL	%	LCL	UCL
97.0	95.0	99.0	98.5	96.6	100.0
5,241,695			2,991,743		
309			168		
83.0	77.3	88.7	88.8	82.0	95.6
5,260,543			3,001,192		
311			169		
5.1	1.1	9.2	3.5	0.7	6.3
4,366,490			2,665,109		
263			150		

Learning							Memory			Mental health	
%LCLUCL			%LCLUCL			%LCLUCL		%LCLUCL		%LCLUCL	
99.298.0100.0			99.698.6100.0			93.6					
2,211,25175			2,181,38597			4,089,350136					
85.575.196.0			87.677.897.3			89.2					
2,220,70076			2,287,38898			4,204,801138					
4.40.08.9			5.80.311.4			8.4					
1,899,16369			2,002,86291			3,749,589127					

h			Stamina			Social or behavioural		
	LCL	UCL	%	LCL	UCL	%	LCL	UCL
	87.5	99.7	97.4	95.3	99.5	95.9	89.8	100.0
			4,178,754 242			934,728 30		
	82.6	95.8	85.8	79.7	91.9	92.6	83.4	100.0
			4,227,026 245			934,728 30		
	2.6	14.2	2.8	1.0	4.5
			3,627,268 213			865,766 27		

Other			
	%	LCL	UCL
	84.6	67.2	100.0
992,537			
36			
	81.4	62.7	100.0
992,537			
36			
	7.1	0.0	16.3
807,894			
30			

Table 13: Community spirit
Great Britain, 14 to 24 May 2020

[back to contents](#)

	All persons total	
	%	LCL
To what extent do you agree with the following statement?		
If I needed help, there are people who would be there for me.		
(1) Strongly agree	70.0	67.1
(2) Somewhat agree	24.3	21.6
(3) Neither agree nor disagree	2.3	1.4
(4) Somewhat disagree	2.1	1.1
(5) Strongly disagree	1.2	0.5
Weighted count	51,258,574	
Sample size	2,001	
To what extent do you agree or disagree with the following statement? If I need help, other local community members would support me during the Coronavirus (COVID-19) outbreak.		
(1) Strongly agree	31.4	28.6
(2) Somewhat agree	40.7	37.5
(3) Neither agree nor disagree	12.2	10.1
(4) Somewhat disagree	4.8	3.3
(5) Strongly disagree	2.7	1.6
(6) Don't know	8.3	6.5
Weighted count	51,815,817	
Sample size	2,017	
Do you think people are doing things to help others more, about the same, or less since the Coronavirus (COVID-19) outbreak?		
(1) More	85.3	83.0
(2) About the same	10.8	8.7
(3) Less	2.2	1.1
(4) Don't know	1.7	1.0
Weighted count	51,815,817	
Sample size	2,017	
In the past seven days, has anyone brought you food, medicine and other essentials to your home since the coronavirus (COVID-19) outbreak?		
Yes	34.5	31.6
Weighted count	51,737,737	
Sample size	2,015	

Source: *Opinions and Lifestyle Survey (COVID-19 module), 14 May to 24 May*

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day to day

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are rep
Impairment status is shown for disabled (as defined above) respondents only.

3. Missing option of 'Prefer not to say' have been excluded when conducting the above analysis, with the

See Notes page for more information.

Disabled				Non-disabled		
UCL	%	LCL	UCL	%	LCL	UCL
72.9	62.2	56.4	68.1	74.0	70.6	77.3
27.1	25.3	20.1	30.4	22.9	19.7	26.2
3.3	4.0	1.3	6.8	1.7	0.8	2.6
3.0	5.2	2.0	8.3	0.8	0.2	1.4
1.9	3.3	0.8	5.7	0.6	0.1	1.1
	12,359,377			36,818,941		
	594			1,330		
34.1	33.0	28.0	38.0	31.2	27.8	34.7
43.9	40.3	34.2	46.4	41.0	37.1	44.8
14.2	10.4	6.7	14.1	12.9	10.3	15.5
6.2	5.8	2.8	8.8	4.3	2.6	6.0
3.8	3.2	1.4	5.1	2.6	1.2	4.1
10.1	7.3	3.7	10.9	8.0	5.9	10.1
	12,435,788			37,171,067		
	598			1,339		
87.7	85.5	81.3	89.7	85.8	82.9	88.8
12.9	11.6	7.9	15.2	10.3	7.7	13.0
3.3	2.4	0.1	4.8	2.1	0.9	3.2
2.4	0.5	0.0	0.9	1.8	0.9	2.7
	12,435,788			37,171,067		
	598			1,339		
37.3	55.5	49.5	61.5	26.9	23.7	30.1
	12,421,179			37,107,597		
	597			1,338		

Impairment type:					
Vision			Hearing		
%	LCL	UCL	%	LCL	UCL
61.4	42.2	80.6	63.0	49.8	76.2
38.0	18.8	57.2	20.8	10.0	31.6
..	10.4	0.2	20.6
..
0.0	0.0	0.0
996,985			1,108,486		
60			96		
32.0	15.9	48.1	40.5	27.6	53.4
31.5	14.8	48.1	31.2	19.2	43.2
16.1	0.4	31.8	11.8	1.8	21.9
..	4.6	0.0	10.7
..	5.6	0.0	11.9
7.6	0.0	15.4	6.3	0.0	11.8
1,028,031			1,108,486		
61			96		
83.6	70.6	96.6	79.8	68.6	91.0
12.9	0.7	25.0	14.8	5.6	24.0
..
2.7	0.0	6.2
1,028,031			1,108,486		
61			96		
51.8	33.9	69.7	76.5	64.9	88.0
1,028,031			1,093,877		
61			95		

Mobility			Dexterity			Learning, understanding or co	
%	LCL	UCL	%	LCL	UCL	%	
59.4	51.6	67.1	58.7	47.8	69.5	54.8	
26.2	19.5	32.8	26.1	17.3	34.9	35.2	
6.5	1.1	11.9	6.3	0.0	14.2	4.4	
4.4	0.9	8.0	4.7	0.0	10.2	..	
3.6	0.2	6.9	4.2	0.0	8.8	..	
5,203,788			2,978,727			2,198,235	
308			168			75	
32.9	26.5	39.3	30.7	21.8	39.5	28.6	
32.4	25.3	39.5	43.7	32.9	54.5	39.8	
14.9	8.6	21.3	13.0	3.9	22.0	7.7	
7.4	2.7	12.1	4.3	0.0	8.8	3.7	
4.9	1.4	8.3	3.3	0.0	7.5	7.3	
7.4	3.0	11.8	5.1	1.1	9.1	12.9	
5,255,534			2,996,183			2,220,700	
310			168			76	
80.0	73.4	86.7	78.0	68.1	87.9	83.7	
14.5	9.2	19.9	15.2	7.9	22.4	14.8	
4.7	0.0	9.5	
0.7	0.0	1.7	
5,255,534			2,996,183			2,220,700	
310			168			76	
59.3	52.0	66.5	59.0	48.2	69.9	51.9	
5,240,924			2,996,183			2,220,700	
309			168			76	

Inconcentrating		Memory			Mental health
LCL	UCL	%	LCL	UCL	%
40.8	68.8	48.7	35.5	61.9	44.4
21.7	48.6	38.7	25.7	51.7	36.6
0.0	9.0	4.3
..	..	6.6	0.0	14.1	11.3
..	3.3
		2,264,923			4,171,261
		97			136
16.8	40.4	26.1	16.1	36.1	18.1
25.6	54.0	36.8	23.4	50.1	42.3
1.8	13.5	5.9	0.4	11.3	11.1
0.0	8.2	9.3	0.2	18.4	11.4
0.3	14.3	8.9	1.4	16.3	5.4
3.1	22.6	13.1	3.5	22.7	11.7
		2,287,388			4,204,801
		98			138
73.6	93.9	82.9	73.1	92.6	82.2
5.0	24.6	15.9	6.2	25.6	15.4
..	2.4
..	0.0
		2,287,388			4,204,801
		98			138
38.5	65.2	54.6	41.7	67.5	41.7
		2,287,388			4,204,801
		98			138

h	Stamina, breathing or fatigue					Social or behavioural	
	LCL	UCL	%	LCL	UCL	%	LCL
	34.7	54.1	58.0	49.1	66.9	48.7	25.1
	26.8	46.5	26.7	19.2	34.2	33.9	12.5
	0.8	7.8	6.5	0.1	12.8
	3.6	19.0	5.4	0.0	11.6
	0.0	7.5	3.4	0.0	7.6	0.0	0.0
			4,198,866			934,728	
			243			30	
	10.8	25.5	39.6	30.8	48.4	39.4	19.8
	31.4	53.2	32.9	24.5	41.2	39.5	19.4
	4.9	17.2	13.6	6.5	20.7
	4.2	18.5	2.8	0.1	5.6	9.6	0.0
	1.1	9.7	2.9	0.0	5.9
	4.7	18.8	8.2	2.7	13.6	0.0	0.0
			4,222,017			934,728	
			244			30	
	75.0	89.4	84.6	77.1	92.0	75.0	56.5
	8.6	22.2	9.5	4.2	14.8	25.0	6.6
	0.1	4.7	0.0	0.0
	0.0	0.0	0.0	0.0
			4,222,017			934,728	
			244			30	
	31.5	51.9	58.1	49.1	67.0	40.7	17.7
			4,222,017			934,728	
			244			30	

	Other		
UCL	%	LCL	UCL
72.2	39.0	16.5	61.5
55.4	42.9	19.5	66.2
..
..	0.0	0.0	0.0
0.0
	975,331		
	35		
59.0	26.8	7.4	46.2
59.5	27.8	5.5	50.2
..	14.6	0.0	33.1
21.8
..
0.0	16.0	0.0	35.8
	992,537		
	36		
93.4	95.0	87.5	100.0
43.5
0.0
0.0	0.0	0.0	0.0
	992,537		
	36		
63.8	58.0	34.1	81.9
	992,537		
	36		

Table 14: Neighbours in the community*Great Britain, 14 to 24 May 2020*[back to contents](#)

	All persons total	
	%	LCL
In the past seven days how many times have you checked on neighbours who might need help?		
Never	34.6	31.7
1 to 2 times	34.6	31.6
3 to 4 times	9.9	8.3
5 to 6 times	3.0	2.0
7 or more	3.9	2.7
Not applicable	13.9	11.8
<i>Weighted count</i>	51,753,220	
<i>Sample size</i>	2,015	
In the past seven days how many times have you gone shopping or done other tasks (such as dog walking) for neighbours?		
Never	60.3	57.2
1 to 2 times	20.1	17.5
3 to 4 times	5.2	3.7
5 to 6 times	0.9	0.2
7 or more	1.4	0.6
Not applicable	12.1	10.1
<i>Weighted count</i>	51,753,220	
<i>Sample size</i>	2,015	

*Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020***Notes**

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day to day activities.
2. Participants can select all impairments that apply. If a participant has multiple impairments, they are reported as multiple. Impairment status is shown for disabled (as defined above) respondents only.
3. Missing options of ' Don't know' and prefer not to say' have been excluded when conducting the above analysis.

See Notes page for more information.

Disabled				Non-disabled		
UCL	%	LCL	UCL	%	LCL	UCL
37.6	34.7	29.0	40.4	34.6	31.0	38.1
37.7	24.9	19.8	30.0	37.0	33.3	40.7
11.6	8.9	6.0	11.9	10.6	8.5	12.6
4.0	5.8	2.6	9.0	2.1	1.2	2.9
5.1	4.2	2.4	6.0	4.0	2.4	5.5
16.0	21.4	16.0	26.8	11.8	9.6	14.1
	12,421,179			37,123,079		
	597			1,338		
63.4	62.0	56.1	68.0	59.5	55.8	63.3
22.6	12.3	8.7	15.9	21.9	18.7	25.2
6.7	2.9	1.0	4.7	6.3	4.3	8.2
1.5	1.9	0.0	4.2	0.6	0.1	1.1
2.3	1.0	0.0	2.0	1.6	0.5	2.8
14.1	19.9	14.8	24.9	10.0	7.9	12.1
	12,421,179			37,123,079		
	597			1,338		

presented in each of those impairment categories in this analysis.

analysis.

Impairment type:					
Vision			Hearing		
%	LCL	UCL	%	LCL	UCL
30.5	13.5	47.4	33.5	20.4	46.7
19.8	6.8	32.8	23.5	12.4	34.5
..	6.8	0.0	14.4
..	2.5	0.0	5.8
6.2	0.0	12.8	6.2	0.6	11.9
28.3	9.9	46.6	27.4	16.0	38.9
1,028,031			1,093,877		
61			95		
59.4	39.1	79.7	65.2	52.6	77.8
15.1	0.0	30.9	7.2	0.3	14.2
1.2	0.0	4.7	2.1	0.0	5.8
1.6	0.0	4.8
1.1	0.0	4.2
21.6	4.2	39.0	22.9	12.2	33.6
1,028,031			1,093,877		
61			95		

Mobility			Dexterity			Learning
%	LCL	UCL	%	LCL	UCL	%
34.4	27.0	41.8	28.0	18.6	37.3	48.0
24.1	17.2	31.0	32.0	20.8	43.2	18.1
9.3	4.9	13.7	8.5	3.1	13.8	6.7
5.9	1.5	10.3	4.9	0.1	9.8	..
6.1	3.2	9.0	3.7	0.8	6.7	..
20.2	14.4	26.0	22.9	12.9	33.0	18.5
5,240,924			2,996,183			2,220,700
309			168			76
64.1	56.7	71.6	57.6	46.6	68.5	67.7
13.8	8.1	19.4	8.2	3.4	12.9	10.8
1.9	0.0	3.9
..
..	2.7	0.0	6.1	..
17.8	12.4	23.3	27.1	16.8	37.5	14.9
5,240,924			2,996,183			2,220,700
309			168			76

		Memory			Mental health	
LCL	UCL	%	LCL	UCL	%	LCL
34.7	61.2	36.4	24.0	48.7	50.1	39.8
8.3	27.9	23.6	13.3	33.8	17.4	10.2
0.1	13.3	6.6	1.0	12.2	7.2	2.1
..	..	5.1	0.0	11.3	6.4	0.2
..	..	1.3	0.0	3.4	2.4	0.2
6.8	30.3	27.1	14.5	39.7	16.5	8.6
		2,287,388			4,204,801	
		98			138	
55.2	80.1	63.2	50.3	76.2	62.2	51.9
2.1	19.4	10.1	1.8	18.4	14.2	7.7
..
..	5.6	0.0
..
5.1	24.7	23.3	11.7	34.8	14.4	6.4
		2,287,388			4,204,801	
		98			138	

Stamina				Social or behavioural			
UCL	%	LCL	UCL	%	LCL	UCL	
60.3	33.0	24.6	41.4	58.6	36.3	80.8	
24.6	27.3	19.0	35.5	13.7	0.0	29.0	
12.3	10.5	5.6	15.5	7.4	0.0	15.8	
12.7	8.6	2.0	15.1	
4.6	3.4	1.1	5.7	
24.4	17.2	11.7	22.8	11.0	0.0	24.4	
	4,222,017			934,728			
	244			30			
72.5	58.7	49.7	67.6	86.9	72.5	100.0	
20.7	16.4	9.3	23.5	6.7	0.0	14.9	
..	1.2	0.0	2.7	0.0	0.0	0.0	
11.6	0.0	0.0	0.0	
..	0.0	0.0	0.0	
22.4	19.6	13.6	25.7	
	4,222,017			934,728			
	244			30			

Other			
	%	LCL	UCL

27.7	7.5	48.0
30.8	8.6	53.0
..
8.4	0.0	18.6
..
22.2	0.0	41.6

992,537
36

52.0	28.3	75.7
..
12.6	0.0	29.7
..
0.0	0.0	0.0
23.1	2.9	43.4

992,537
36

Table 15: Unity, Equality and Kindness

Great Britain, 14 to 24 May 2020

A

How united or divided do you think Britain was before the coronavirus (COVID-19) outbreak?

- (1) Very united/ somewhat united
- (2) Neither united or divided
- (3) Somewhat divided/ very divided
- (4) Don't know/Prefer not to say

Weighted count

Sample size

How united or divided do you think Britain will be after we have recovered from the coronavirus (COVID-19) outbreak?

- (1) Very united/ somewhat united
- (2) Neither united or divided
- (3) Somewhat divided/ very divided
- (4) Don't know/Prefer not to say

Weighted count

Sample size

How equal or unequal do you think Britain was before the coronavirus (COVID-19) outbreak?

- Very equal/somewhat equal
- Neither equal or unequal
- Somewhat unequal/very unequal
- Don't know/ Prefer not to say

Weighted count

Sample size

How equal or unequal do you think Britain will be after we have recovered from the coronavirus (COVID-19) outbreak?

- Very equal/somewhat equal
- Neither equal or unequal
- Somewhat unequal/very unequal
- Don't know/ Prefer not to say

Weighted count

Sample size

How kind or unkind do you think people in Britain were before the coronavirus (COVID-19) outbreak?

Very kind/somewhat kind
Neither kind or unkind
Somewhat unkind/very unkind
Don't know/ Prefer not to say

Weighted count
Sample size

How kind or unkind do you think people in Britain will be after we have recovered from the coronavirus (COVID-19) outbreak?

Very kind/somewhat kind
Neither kind or unkind
Somewhat unkind/very unkind
Don't know/ Prefer not to say

Weighted count
Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 May to 24 May

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with the Equality Act 2010.
2. Participants can select all impairments that apply. If a participant has multiple impairments, they are reported. Impairment status is shown for disabled (as defined above) respondents only.

See Notes page for more information.

[back to contents](#)

All persons total			Disabled			Non-disabled
%	LCL	UCL	%	LCL	UCL	%
22.6	19.8	25.3	20.3	15.9	24.8	23.6
14.6	12.5	16.8	12.3	8.1	16.5	15.1
57.3	54.2	60.4	63.8	58.2	69.4	55.5
5.5	4.0	7.1	3.6	1.7	5.4	5.9
52,081,184			12,440,797			37,382,550
2,023			599			1,343
50.8	47.7	53.9	54.2	48.3	60.1	50.6
11.4	9.4	13.4	8.5	5.5	11.6	12.1
30.4	27.5	33.2	29.9	24.6	35.2	30.4
7.4	5.7	9.1	7.4	4.0	10.7	6.9
52,081,184			12,440,797			37,382,550
2,023			599			1,343
15.3	13.0	17.7	11.9	8.2	15.6	16.9
13.1	11.1	15.2	11.6	7.5	15.7	13.7
62.2	59.2	65.2	68.0	62.4	73.6	60.5
9.3	7.4	11.3	8.4	5.0	11.9	9.0
52,081,184			12,440,797			37,382,550
2,023			599			1,343
20.8	18.3	23.4	17.9	13.4	22.5	22.4
13.0	11.0	15.0	14.7	10.1	19.3	12.3
53.7	50.7	56.8	54.9	49.0	60.9	53.6
12.4	10.2	14.6	12.4	8.0	16.8	11.7
52,081,184			12,440,797			37,382,550
2,023			599			1,343

42.6	39.5	45.6	40.2	34.6	45.7	44.7
27.3	24.4	30.1	28.4	22.9	33.8	26.3
24.7	21.9	27.5	27.7	22.0	33.4	23.2
5.4	3.9	7.0	3.8	1.9	5.7	5.8

52,081,184			12,440,797			37,382,550
2,023			599			1,343

61.8	58.7	64.9	59.8	53.9	65.8	62.8
19.5	16.9	22.0	20.4	15.2	25.6	18.8
9.7	7.7	11.6	10.4	6.8	13.9	9.7
9.0	7.0	11.0	9.4	5.7	13.1	8.7

52,081,184			12,440,797			37,382,550
2,023			599			1,343

presented in each of those impairment categories in this analysis.

d	Impairment type:							
			Vision			Hearing		
	LCL	UCL	%	LCL	UCL	%	LCL	UCL
	20.2	27.0	24.9	8.0	41.8	23.7	12.9	34.6
	12.5	17.6	17.3	3.8	30.9	9.3	2.5	16.0
	51.7	59.3	57.8	39.2	76.3	61.1	48.7	73.6
	3.9	7.9	0.0	0.0	0.0	5.9	0.7	11.0
			1,033,040			1,108,486		
			62			96		
	46.8	54.4	65.5	49.2	81.8	50.2	37.2	63.2
	9.5	14.6	9.6	1.4	17.8	14.5	4.1	24.8
	26.9	33.8	18.9	6.1	31.7	25.4	13.9	36.9
	5.0	8.9	6.0	0.0	12.2	10.0	3.1	16.9
			1,033,040			1,108,486		
			62			96		
	13.8	19.9	11.4	2.5	20.3	17.8	8.9	26.6
	11.2	16.2	15.3	2.9	27.7	3.8	0.0	7.7
	56.8	64.2	69.9	59.0	80.9
	6.6	11.4	8.5	2.2	14.9
			1,033,040			1,108,486		
			62			96		
	19.2	25.6	39.3	18.8	59.7	18.0	9.1	27.0
	10.1	14.5	6.7	0.0	14.3	13.0	3.2	22.8
	49.9	57.3	45.6	27.1	64.0	54.3	41.4	67.3
	9.1	14.3	8.4	0.0	17.3	14.6	5.1	24.1
			1,033,040			1,108,486		
			62			96		

40.9	48.5	33.6	16.8	50.4	53.2	39.9	66.5
22.9	29.6	28.3	13.2	43.3	14.8	6.4	23.3
19.9	26.4	36.0	15.8	56.2	25.8	13.4	38.1
3.8	7.8	2.1	0.0	4.6	6.2	0.6	11.8

1,033,040
62

1,108,486
96

59.1	66.6	57.8	39.6	75.9	65.1	52.9	77.3
15.7	21.8	21.8	4.3	39.3	16.2	6.9	25.4
7.3	12.1	11.6	0.2	23.0	8.7	0.9	16.4
6.3	11.1	8.9	0.0	17.9	10.1	3.3	16.9

1,033,040
62

1,108,486
96



Mobility			Dexterity			Learning	
%	LCL	UCL	%	LCL	UCL	%	LCL
24.6	18.0	31.2	19.2	12.0	26.4	18.5	7.5
13.3	8.0	18.6	11.5	3.6	19.3	24.8	12.0
56.9	49.4	64.3	65.6	55.7	75.5	52.7	38.2
5.2	2.1	8.3	3.8	1.3	6.2	4.1	0.0
5,260,543			3,001,192			2,220,700	
311			169			76	
53.7	46.1	61.3	52.4	41.4	63.4	49.3	34.7
5.7	2.8	8.7	6.8	2.2	11.4	7.9	2.2
29.8	22.4	37.2	34.5	23.5	45.6	29.9	17.4
10.8	5.7	15.9	6.2	2.4	10.0	13.0	2.7
5,260,543			3,001,192			2,220,700	
311			169			76	
13.2	7.6	18.7	12.6	4.1	21.1	10.5	0.8
9.6	5.5	13.7	9.7	4.3	15.2	19.0	6.7
62.5	54.7	70.4	67.1	56.6	77.5	60.0	45.7
14.7	8.2	21.2	10.6	2.4	18.8	10.4	2.9
5,260,543			3,001,192			2,220,700	
311			169			76	
20.5	14.2	26.8	20.3	11.0	29.7	12.2	3.3
10.4	6.3	14.5	10.0	4.8	15.2	16.3	5.3
49.3	42.0	56.6	54.7	44.3	65.2	51.1	37.8
19.8	13.2	26.4	14.9	6.4	23.5	20.4	9.3
5,260,543			3,001,192			2,220,700	
311			169			76	

38.7	31.9	45.5	38.4	28.3	48.6	36.3	24.1
28.9	21.7	36.2	37.3	26.6	48.1	31.0	18.4
27.3	20.2	34.5	22.2	13.9	30.5	26.1	14.9
5.0	1.8	8.3	2.0	0.3	3.8	6.5	0.0

5,260,543			3,001,192			2,220,700	
311			169			76	

61.6	54.1	69.1	61.2	50.7	71.7	59.7	45.7
17.2	11.0	23.4	29.2	18.6	39.8	13.1	4.2
11.1	6.2	15.9	6.4	1.7	11.0	13.6	5.3
10.1	5.1	15.2	3.2	0.3	6.1	13.6	2.8

5,260,543			3,001,192			2,220,700	
311			169			76	

--	--	--	--	--	--	--	--

Memory				Mental health			Stamina
UCL	%	LCL	UCL	%	LCL	UCL	%
29.5	14.8	6.0	23.6	13.3	6.8	19.8	23.8
37.5	22.1	10.1	34.0	11.7	5.6	17.9	9.5
67.2	55.9	42.2	69.5	70.6	62.3	78.8	61.0
9.3	7.2	0.7	13.7	4.4	0.5	8.3	5.7
2,287,388				4,204,801			4,227,026
98				138			245
63.8	44.2	30.2	58.1	45.5	35.4	55.5	54.9
13.5	10.0	3.2	16.8	9.0	3.4	14.7	6.9
42.3	31.6	19.6	43.6	39.6	30.1	49.2	29.6
23.2	14.2	4.1	24.3	5.9	0.8	11.0	8.6
2,287,388				4,204,801			4,227,026
98				138			245
20.3	10.7	1.7	19.7	7.7	2.3	13.2	11.6
31.3	16.8	5.3	28.3	9.0	4.1	14.0	5.5
74.4	59.9	46.5	73.3	76.5	68.7	84.4	69.5
18.0	12.6	4.4	20.7	6.7	1.8	11.7	13.4
2,287,388				4,204,801			4,227,026
98				138			245
21.2	15.6	5.0	26.3	14.3	6.6	22.0	17.4
27.3	18.3	7.5	29.1	14.6	6.9	22.4	8.9
64.4	43.5	31.1	55.8	59.3	49.2	69.3	55.7
31.4	22.6	11.6	33.7	11.8	5.8	17.8	18.0
2,287,388				4,204,801			4,227,026
98				138			245

48.6	40.0	28.1	51.9	40.8
43.5	27.5	15.1	39.8	31.8	22.6	40.9	28.1
37.4	24.4	13.4	35.4	43.0	33.4	52.5	28.0
13.2	8.2	1.4	14.9	3.1

2,287,388	4,204,801	4,227,026
98	138	245

73.6	52.7	38.7	66.7	45.2	34.7	55.6	63.0
22.1	18.3	7.4	29.2	26.4	16.8	36.0	20.7
21.8	13.6	5.0	22.2	21.2	13.5	29.0	7.2
24.4	15.4	4.6	26.1	7.2	1.2	13.2	9.1

2,287,388	4,204,801	4,227,026
98	138	245



Social or behavioural					Other			
LCL	UCL	%	LCL	UCL	%	LCL	UCL	
15.9	31.8	23.8	4.9	42.8	14.0	0.0	29.9	
4.8	14.1	16.2	2.6	29.9	
52.1	69.9	59.9	39.3	80.6	82.0	65.1	98.8	
2.0	9.4	0.0	0.0	0.0	
934,728					992,537			
30					36			
45.9	63.9	49.1	26.1	72.2	46.2	22.0	70.5	
3.1	10.7	5.7	0.0	13.2	
21.0	38.2	40.7	18.9	62.5	25.3	8.0	42.5	
3.3	14.0	22.8	0.7	44.9	
934,728					992,537			
30					36			
5.9	17.3	5.5	0.0	12.1	
2.1	8.9	15.0	1.2	28.8	3.9	0.0	8.6	
60.8	78.1	74.9	56.4	93.4	83.5	71.3	95.8	
6.4	20.4	7.2	0.0	15.7	
934,728					992,537			
30					36			
10.1	24.8	17.3	0.3	34.3	8.4	0.0	16.8	
4.6	13.2	10.5	0.0	26.4	
47.1	64.2	72.4	53.1	91.7	57.6	34.8	80.5	
10.2	25.8	23.4	1.3	45.6	
934,728					992,537			
30					36			

32.5	49.1	31.8	13.7	49.9	42.0	18.6	65.3
20.2	36.0
19.3	36.7	38.8	17.6	60.0	37.3	13.7	60.9
0.3	5.9

934,728

30

992,537

36

53.3	72.7	58.0	37.4	78.6	43.2	19.6	66.9
12.0	29.3	22.4	6.4	38.4	23.4	3.7	43.0
2.9	11.5	10.0	0.0	21.6
3.4	14.7	23.4	1.3	45.6

934,728

30

992,537

36

Table 16: Leaving home

Great Britain, 14 to 24 May 2020

[back to contents](#)

All persons total		
	%	LCL
In the past seven days, have you left your home for any reason?		
Yes	87.9	86.1
<i>Weighted count</i>	52,081,184	
<i>Sample size</i>	2,023	
In the past seven days, have you visited a park or public green space?		
Yes	41.0	37.9
<i>Weighted count</i>	52,081,184	
<i>Sample size</i>	2,023	
How safe or unsafe do you feel when outside your home due to the Coronavirus (COVID-19) outbreak?		
Very safe	5.5	3.9
Safe	25.0	22.3
Neither safe nor unsafe	30.6	27.6
Unsafe	28.7	25.7
Very unsafe	5.9	4.5
Don't know/Prefer not to say	4.4	2.9
<i>Weighted count</i>	52,081,184	
<i>Sample size</i>	2,023	

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day to day activities.

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are represented by the most severe impairment. Impairment status is shown for disabled (as defined above) respondents only.

3. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above analysis.

See Notes page for more information.

Disabled				Non-disabled		
UCL	%	LCL	UCL	%	LCL	UCL
89.7	73.4	68.2	78.6	92.5	90.7	94.2
	12,440,797 599			37,382,550 1,343		
44.1	24.4	19.4	29.5	47.0	43.2	50.8
	12,440,797 599			37,362,207 1,342		
7.1	4.9	1.8	8.0	5.3	3.4	7.2
27.7	19.6	14.8	24.4	26.4	23.1	29.7
33.5	28.8	23.2	34.3	31.4	27.9	34.9
31.6	29.7	24.3	35.1	29.1	25.5	32.7
7.3	11.9	8.2	15.5	3.8	2.3	5.3
5.8	5.2	3.1	7.3	4.0	2.1	5.8
	12,440,797 599			37,382,550 1,343		

sented in each of those impairment categories in this analysis.

alysis for the second question in the table.

Impairment type:						
Vision			Hearing			
%	LCL	UCL	%	LCL	UCL	
73.7	59.4	88.0	54.7	41.8	67.7	
1,033,040			1,108,486			
62			96			
17.3	3.8	30.9	14.7	5.8	23.5	
1,033,040			1,108,486			
62			96			
..	4.7	0.5	8.9	
15.9	5.2	26.5	14.4	5.6	23.3	
35.9	16.2	55.7	22.9	11.6	34.2	
24.9	10.5	39.2	29.8	16.8	42.7	
15.8	2.6	29.1	11.1	2.3	19.9	
..	17.1	6.6	27.7	
1,033,040			1,108,486			
62			96			

Mobility			Dexterity			Learning
%	LCL	UCL	%	LCL	UCL	%
65.9	59.0	72.8	69.0	59.3	78.8	66.7
5,260,543			3,001,192			2,220,700
311			169			76
18.3	12.4	24.2	16.7	9.5	24.0	30.3
5,260,543			3,001,192			2,220,700
311			169			76
2.8	0.7	5.0	8.0	1.3	14.8	..
15.9	10.5	21.3	14.2	7.9	20.5	20.1
26.7	19.7	33.7	29.0	18.1	40.0	29.7
28.8	21.9	35.7	29.4	20.5	38.4	18.7
15.7	10.5	21.0	9.2	3.7	14.8	20.6
10.1	5.7	14.4	10.1	4.4	15.7	..
5,260,543			3,001,192			2,220,700
311			169			76

		Memory			Mental health	
LCL	UCL	%	LCL	UCL	%	LCL
52.9	80.5	65.1	51.9	78.3	80.0	71.7
		2,287,388			4,204,801	
		98			138	
16.8	43.8	19.3	8.4	30.2	34.6	24.2
		2,287,388			4,204,801	
		98			138	
..	..	1.4	0.0	3.4	2.0	0.0
8.8	31.3	16.4	6.7	26.0	12.8	5.5
17.6	41.8	33.7	21.1	46.2	31.4	21.6
6.7	30.6	23.7	11.2	36.3	32.9	23.1
9.9	31.3	13.9	5.4	22.4	17.2	9.7
..	..	10.9	3.0	18.8	3.7	0.1
		2,287,388			4,204,801	
		98			138	

UCL	Stamina			Social or behavioural		
	%	LCL	UCL	%	LCL	UCL
88.4	74.5	67.7	81.4	74.9	56.3	93.5
	4,227,026			934,728		
	245			30		
44.9	21.2	14.0	28.4	32.6	10.9	54.2
	4,227,026			934,728		
	245			30		
4.0	2.1	0.5	3.7
20.2	22.1	14.0	30.2	13.6	0.2	27.0
41.2	28.1	20.2	36.1	30.2	9.5	50.9
42.6	26.1	19.0	33.2	11.7	0.0	24.9
24.7	13.1	7.3	18.9	36.7	15.8	57.6
7.2	8.5	3.9	13.1
	4,227,026			934,728		
	245			30		

Other			
	%	LCL	UCL

	76.3	57.2	95.4
--	------	------	------

992,537
36

	24.8	5.8	43.8
--	------	-----	------

992,537
36

	17.9	0.0	40.0
	2.7	0.0	7.5
	35.4	12.4	58.5
	23.3	3.7	43.0
	13.5	0.0	30.1
	7.1	0.0	15.0

992,537
36

--	--	--	--

Table 17: Reasons left home
Great Britain, 14 to 24 May 2020

In the past seven days, for what reasons have you left your home? ²

1. Travelling to and from work
2. For voluntary work
3. Meeting up with people in a public place
4. Meeting up with people in a personal place [for example, visiting family]
5. Taking part in a regular indoor activity (for example, attending an exercise class)
6. To take children to or from school (or for other activities)
7. For exercise, for example a run, walk, or cycle – alone or with members of your household
8. Visit a tourist attraction
9. Shopping for basic necessities [for example food and medicine]
10. Any medical need, or to provide care or to help a vulnerable person
11. To run errands [for example, pay bills, withdraw money from bank]
12. To visit a library
13. To go to a garden centre
14. Travel within the UK for holidays or short breaks
15. Travel outside of the UK for work
16. Travel outside of the UK for holidays or short breaks
17. Other

Weighted count

Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day to day activities.
2. Participants can select all impairments that apply. If a participant has an impairment status is shown for disabled (as defined above) respondents.
3. Respondents were able to choose more than one option.
4. Missing options of 'Don't know' and 'Prefer not to say' have been excluded.

[back to contents](#)

All persons total			Disabled
%	LCL	UCL	%
25.7	22.7	28.6	15.8
2.3	1.2	3.3	0.6
7.5	5.7	9.4	5.1
3.5	2.3	4.8	3.6
0.8	0.1	1.5	1.9
1.1	0.4	1.8	1.5
69.8	66.7	72.9	60.0
0.1	0.0	0.3	..
78.3	75.5	81.1	70.9
16.0	13.4	18.5	23.5
12.2	9.9	14.5	12.3
..
4.1	2.9	5.3	2.7
..
..
..
3.8	2.6	5.0	3.7
45,786,421			9,135,858
1,693			418

s multiple impairments, they are represented in each of those impairment categories in this analysis.

Non-disabled					Impairment type:	
					Vision	
LCL	UCL	%	LCL	UCL	%	LCL
10.5	21.2	27.8	24.2	31.4	5.6	0.0
0.0	1.3	2.7	1.4	4.0
2.4	7.9	8.2	5.8	10.5	17.2	0.0
1.2	6.1	3.6	2.1	5.1
0.0	3.9	0.2	0.0	0.4
0.0	3.0	1.1	0.3	1.8
53.1	66.9	73.4	69.8	77.0	74.9	58.7
..	..	0.1	0.0	0.3
64.7	77.2	80.2	77.0	83.5	62.0	39.7
17.4	29.6	13.1	10.4	15.9	35.3	12.3
7.7	17.0	11.9	9.1	14.6	28.5	4.8
..
0.9	4.5	4.5	3.1	6.0	12.2	0.0
..
..
..
2.0	5.5	4.0	2.5	5.5
34,560,533					760,964	
1,204					39	

Hearing				Mobility		
UCL	%	LCL	UCL	%	LCL	UCL
14.1	6.1	1.8	10.4
..
37.8	7.2	1.7	12.6
..	4.2	0.4	8.0
..
..
91.0	58.0	41.7	74.4	46.4	36.6	56.2
..
84.3	61.3	45.3	77.3	76.7	69.4	84.1
58.4	37.7	21.0	54.4	35.6	25.9	45.2
52.1	12.0	0.1	24.0	14.4	6.7	22.1
..
27.2	4.1	0.0	9.6	4.7	0.9	8.5
..
..
..
..	5.4	0.0	12.1	4.2	1.3	7.1
606,857				3,466,563		
56				181		

Dexterity			Learning		
%	LCL	UCL	%	LCL	UCL
14.6	4.6	24.7	19.3	6.7	31.9
..
5.4	0.5	10.2
4.9	0.0	11.1	6.0	0.0	13.9
..
..
59.7	46.5	72.9	65.2	50.6	79.9
..
70.4	58.9	81.9	81.2	69.0	93.3
33.3	19.6	47.1	31.0	16.3	45.8
8.3	0.7	15.9	17.8	5.0	30.6
..
3.8	0.0	7.6
..
..
..
4.2	0.2	8.3
2,071,664			1,481,421		
98			50		

Memory			Mental health			Stamina
%	LCL	UCL	%	LCL	UCL	%
12.7	1.9	23.5	19.5	10.3	28.7	7.1
..
3.8	0.0	8.2	1.4	0.0	3.1	9.4
6.2	0.0	14.0	3.1	0.0	6.7	3.2
..	1.5
..	2.8	0.0	6.3	..
59.3	44.4	74.1	64.1	52.7	75.6	52.5
..
72.9	58.5	87.2	80.2	70.9	89.4	70.9
33.8	18.8	48.7	26.4	16.8	36.1	37.2
18.4	5.5	31.2	15.2	6.6	23.7	16.3
..
7.8	0.0	16.3	2.7	0.0	6.1	3.8
..
..
..
..	2.4	0.0	5.0	4.8
1,489,274			3,365,097			3,149,605
62			108			163

		Social or behavioural			Other	
LCL	UCL	%	LCL	UCL	%	LCL
1.9	12.4	37.8	12.9	62.6	16.2	0.0
..
3.0	15.8
0.0	6.8
0.0	3.5
..
42.0	63.0	74.0	54.0	94.1	53.4	24.8
..
62.1	79.6	92.3	83.5	100.0	80.4	54.8
25.9	48.6	16.2	0.7	31.8	16.1	0.0
7.2	25.4	13.6	0.0	28.8	12.5	0.0
..
0.9	6.6
..
..
..
1.6	7.9
		699,986			757,089	
		24			24	

UCL

37.8

..
..
..
..
..

82.1

..

100.0
34.3
29.5

..
..
..
..
..
..

Table 18: Mean life satisfaction, worthwhile, happiness and anxiety ratings*Great Britain, 14 to 24 May 2020*

	All persons total		
	Mean	LCL	UCL
Overall, how satisfied are you with your life nowadays?	7.0	6.8	7.1
Overall, to what extent do you feel that the things you do in your life are worthwhile?	7.3	7.2	7.5
Overall, how happy did you feel yesterday?	6.9	6.8	7.1
Overall, how anxious did you feel yesterday?	4.1	3.9	4.2
% reporting high anxiety	32.7	29.7	35.8

*Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020***Notes**

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness,

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are rep
Impairment status is shown for disabled (as defined above) respondents only.

3. Each of these questions is answered on a scale of 0 to 10, where
0 is "not at all" and 10 is "completely".

4. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above

See Notes page for more information.

[back to contents](#)

		Disabled					N
Weighted count	Sample	Mean	LCL	UCL	Weighted count	Sample	
50,394,215	1,975	6.1	5.8	6.4	11,845,536	581	
50,405,395	1,965	6.6	6.3	7.0	12,308,973	587	
51,051,631	1,996	6.1	5.8	6.5	12,382,363	594	
51,098,922	1,989	4.7	4.4	5.1	12,351,075	594	
51,098,922	1,989	41.6	35.7	47.5	12,351,075	594	

resented in each of those impairment categories in this analysis.

analysis.

on-disabled					Impairment type:		
					Vision		
Mean	LCL	UCL	Weighted count	Sample	Mean	LCL	UCL
7.3	7.2	7.4	36,522,470	1,321	7.1	6.1	8.1
7.6	7.4	7.7	36,144,051	1,308	6.7	5.3	8.2
7.3	7.1	7.4	36,692,985	1,329	6.9	5.9	8.0
3.8	3.6	4.0	37,748,071	1,322	5.3	4.2	6.4
29.3	25.8	32.8	37,748,071	1,322	46.0	26.1	66.0

		Hearing				
Weighted count	Sample	Mean	LCL	UCL	Weighted count	Sample
868,566	58	6.8	6.2	7.3	1,079,936	94
992,886	60	7.4	6.8	7.9	1,054,700	92
1,017,783	60	6.3	5.5	7.1	1,079,389	94
1,000,326	60	5.0	4.3	5.6	1,097,211	95
1,000,326	60	48.7	35.3	62.2	1,097,211	95

Mobility					Dexterity		
Mean	LCL	UCL	Weighted count	Sample	Mean	LCL	UCL
6.1	5.6	6.6	5,102,202	304	6.0	5.3	6.7
6.6	6.3	7.0	5,215,773	306	6.6	6.0	7.2
6.2	5.8	6.6	5,244,796	309	6.6	6.0	7.1
4.7	4.3	5.2	5,238,078	310	4.4	3.8	5.0
44.1	36.7	51.5	5,238,078	310	37.9	27.3	48.5

		Learning				
Weighted count	Sample	Mean	LCL	UCL	Weighted count	Sample
2,841,152	163	4.9	4.3	5.6	2,078,715	72
		..				
2,933,150	164	5.3	4.4	6.2	2,220,700	76
3,001,192	169	5.5	4.6	6.5	2,206,620	75
2,978,727	168	5.6	4.6	6.5	2,198,235	75
2,978,727	168	54.4	40.2	68.5	2,198,235	75

Memory					Mental health		
Mean	LCL	UCL	Weighted count	Sample	Mean	LCL	UCL
5.1	4.4	5.7	2,023,689	92	5.2	4.8	5.6
5.5	4.5	6.4	2,271,676	97	5.3	4.8	5.8
5.5	4.6	6.3	2,273,308	97	4.8	4.3	5.3
5.3	4.4	6.1	2,264,923	97	6.1	5.6	6.6
51.2	37.2	65.2	2,264,923	97	63.2	53.4	73.0

		Stamina			Social	
Weighted count	Sample	Mean	LCL	UCL	Weighted count	Sample
3,927,450	131	5.8	5.1	6.4	4,129,100	242
4,204,801	138	6.3	5.8	6.8	4,220,873	243
4,190,721	137	5.6	5.1	6.2	4,212,946	244
4,182,337	137	5.0	4.4	5.5	4,227,026	245
4,182,337	137	49.7	41.1	58.4	4,227,026	245

or behavioural					Other		
Mean	LCL	UCL	Weighted count	Sample	Mean	LCL	UCL
5.4	4.7	6.1	871,815	27	5.4	4.2	6.5
5.2	4.3	6.0	934,728	30	5.5	4.1	6.8
4.9	3.9	5.9	902,648	29	5.2	4.1	6.2
6.0	4.6	7.4	934,728	30	4.9	3.7	6.1
55.7	33.9	77.5	934,728	30	36.0	14.0	58.0

Weighted count	Sample
----------------	--------

992,537	36
---------	----

992,537	36
---------	----

958,968	33
---------	----

992,537	36
---------	----

992,537	36
---------	----

Table 19: Percentages of adults reporting different levels of loneliness*Great Britain, 14 to 24 May 2020*

	All persons total	
	%	LCL
How often do you feel lonely?		
Often/always	5.7	4.3
Some of the time	19.5	16.9
Occasionally	24.4	21.7
Hardly ever	33.1	30.1
Never	17.3	15.2
Don't know
Prefer not to say
<i>Weighted Count</i>	51,354,375	
<i>Sample Size</i>	2,007	

*Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020***Notes**

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness,

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are represented by the most severe impairment. Impairment status is shown for disabled (as defined above) respondents only.

3. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above analysis.

See Notes page for more information.

[back to contents](#)

Disabled				Non-disabled		
UCL	%	LCL	UCL	%	LCL	UCL
7.2	12.2	8.2	16.3	3.0	1.7	4.2
22.1	28.8	23.1	34.4	15.6	12.7	18.4
27.2	22.2	17.5	26.9	25.2	21.8	28.6
36.1	25.4	20.3	30.6	36.6	32.9	40.4
19.4	11.4	8.7	14.2	19.7	16.9	22.4
..
..
12,408,800				36,789,680		
597				1,333		

nted in each of those impairment categories in this analysis.

ysis.

Impairment type:						
Vision			Hearing			Mobility
%	LCL	UCL	%	LCL	UCL	%
18.6	1.1	36.1	12.7	2.2	23.1	13.9
27.4	11.4	43.5	12.8	4.5	21.2	28.3
24.6	10.0	39.1	25.9	15.0	36.8	20.1
24.7	10.2	39.2	29.0	16.7	41.3	25.2
4.6	0.0	9.9	19.6	8.9	30.4	12.4
..
..
1,033,040			1,108,486			5,252,275
62			96			310

		Dexterity			Learning	
LCL	UCL	%	LCL	UCL	%	LCL
9.0	18.8	9.4	3.9	14.8	25.3	13.4
21.4	35.3	30.1	19.9	40.4	29.4	16.3
14.6	25.6	23.9	15.1	32.6	19.3	9.1
19.0	31.5	26.2	17.0	35.4	21.8	9.0
8.1	16.8	10.5	5.0	15.9	4.2	0.0
..
..
		2,992,925			2,196,971	
		168			75	

Memory				Mental health		
UCL	%	LCL	UCL	%	LCL	UCL
37.3	28.7	16.4	41.0	24.7	16.0	33.3
42.5	23.0	12.3	33.7	43.6	33.6	53.6
29.5	20.7	11.2	30.1	20.0	12.6	27.3
34.6	20.3	9.1	31.6	9.6	4.5	14.7
9.0	7.3	1.6	12.9	2.1	0.0	4.6
..
..
	2,287,388			4,204,801		
	98			138		

Stamina				Social or behavioural			
	%	LCL	UCL		%	LCL	UCL
	17.0	10.1	23.9		29.0	9.3	48.7
	31.1	22.8	39.4		36.8	15.1	58.4
	19.8	13.0	26.7		22.1	5.5	38.6
	19.6	13.6	25.7		12.1	0.0	26.0
	12.4	7.6	17.3	

..
	4,227,026				910,999		
	245				29		

Other			
	%	LCL	UCL
	22.8	3.8	41.9
	30.3	6.5	54.1
	9.7	0.4	19.0
	26.3	4.6	48.1
	10.8	0.6	21.1

	992,537		
	36		

Table 20: Support for stay at home guidelines

Great Britain, 14 to 24 May 2020

A

Official government advice is that people in the UK must stay in their homes and should only go out under a limited number of circumstances, to help slow the spread of coronavirus.

To what extent do you support or oppose what has been put in place by the Government?

Strongly support

Tend to support

Neither support nor oppose

Tend to oppose

Strongly oppose

Weighted count

Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-

2. Participants can select all impairments that apply. If a participant has multiple impairments, they are rep
Impairment status is shown for disabled (as defined above) respondents only.

3. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above

See Notes page for more information.

back to contents

All persons total			Disabled			Non-disabled
%	LCL	UCL	%	LCL	UCL	%
68.8	65.8	71.8	71.1	65.4	76.8	68.5
25.1	22.3	28.0	22.1	16.8	27.5	25.9
2.2	1.3	3.0	2.2	1.0	3.5	2.2
2.6	1.7	3.6	3.3	0.7	5.9	2.4
1.3	0.5	2.1	1.2	0.1	2.4	0.9
50,486,609			12,365,226			35,978,028
1,993			592			1,323

presented in each of those impairment categories in this analysis.

analysis.

d	Impairment type:							
	Vision				Hearing			
	LCL	UCL	%	LCL	UCL	%	LCL	UCL
	65.0	72.1	69.4	51.4	87.4	69.5	56.9	82.1
	22.5	29.3	14.8	2.5	27.0	24.6	12.4	36.9
	1.1	3.3
	1.4	3.4	2.7	0.0	6.1
	0.1	1.8
			1,028,031			1,065,334		
			61			93		

Mobility			Dexterity			Learning
%	LCL	UCL	%	LCL	UCL	%
71.6	63.8	79.3	72.5	62.5	82.6	66.5
21.0	13.6	28.3	18.9	9.6	28.2	24.7
3.0	0.7	5.2	4.7	0.7	8.7	4.1
2.8	0.0	6.1
1.7	0.0	4.0
5,203,216			2,964,853			2,220,700
306			166			76

			Memory			Mental health		
LCL	UCL		%	LCL	UCL	%	LCL	UCL
52.9	80.0		64.8	51.7	77.9	60.1	49.5	70.7
13.0	36.4		20.0	10.0	30.1	30.1	20.5	39.8
0.0	8.3	
..	..		9.3	0.0	20.0	7.1	0.6	13.7
..
			2,271,676			4,204,801		
			97			138		

Stamina			Social or behavioural			Other
%	LCL	UCL	%	LCL	UCL	%
67.4	57.5	77.3	57.8	35.6	80.1	69.8
24.1	14.9	33.3	22.0	1.3	42.7	28.1
2.9	0.3	5.4	8.4	0.0	18.6	..
3.1	0.0	7.2
2.5	0.0	5.5
4,200,020			934,728			992,537
242			30			36

LCL	UCL
-----	-----

46.6	93.0
4.6	51.5
..	..
..	..
..	..

Table 21: New health problems

Great Britain, 14 to 24 May 2020

AI

In the past seven days, have you had any new or worsening health problems?

Yes
Don't know
Prefer not to say

Weighted count

Sample size

Among those who have a new or worsening health problem in the last seven days, have you sought any professional health advice for these health problems?

Yes

Weighted count

Sample size

Among those who have a new or worsening health problem in the last seven days and who have not sought professional advice, why did you not seek any professional health advice for these health problems?

You were concerned about catching coronavirus (COVID-19) while receiving care
You wanted to avoid putting pressure on the NHS
You were concerned about leaving home
Did not know how to access help
Was not able to access help
Thought help was unavailable
Other
None of the above

Weighted count

Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 May to 24 May

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is based on the definition used in the 2011 Census.
2. Participants can select all impairments that apply. If a participant has multiple impairments, they are reported as 'multiple'. Impairment status is shown for disabled (as defined above) respondents only.
3. Respondents were able to choose more than one option for the final question in the table.
4. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above analysis.

See Notes page for more information.

[back to contents](#)

persons total			Disabled			Non-disabled	
%	LCL	UCL	%	LCL	UCL	%	LCL
6.5	4.9	8.0	14.4	10.1	18.6	2.4	1.4
1.7	0.8	2.6	4.0	1.2	6.8	0.8	0.1
0.6	0.1	1.0	0.8	0.0	1.7	0.3	0.0
52,081,184			12,440,797			37,382,550	
2,023			599			1,343	
53.1	44.7	61.6	41.6	29.2	53.9	67.3	50.9
3,363,622			1,785,418			906,599	
146			81			49	
16.3	10.1	22.5	11.1	3.5	18.7
32.5	25.5	39.4	27.9	19.2	36.6	27.5	8.7
10.5	5.7	15.3	12.3	6.7	17.8
5.0	1.8	8.2
1.9	0.0	5.2	2.9	0.0	7.9
7.4	3.2	11.6	10.6	5.0	16.2
51.0	43.5	58.6	62.7	53.6	71.7	50.7	29.7
14.9	11.2	18.7	9.4	5.4	13.4	18.6	1.8
1,576,580			1,042,933			296,866	
64			37			21	

presented in each of those impairment categories in this analysis.

analysis for the final question in the table.

Impairment type:							
UCL	Vision			Hearing			Mobility
	%	LCL	UCL	%	LCL	UCL	%
3.4	14.6	2.3	27.0	17.1	7.6	26.5	15.2
1.6
0.7
	1,033,040			1,108,486			5,260,543
	62			96			311
83.6	61.6	29.4	93.9	73.5	45.0	100.0	45.1
	151,130			189,150			800,354
	12			18			45
..
46.3
..
..
..
..
71.7
35.4

		Dexterity			Learning			
LCL	UCL	%	LCL	UCL	%	LCL	UCL	
9.6	20.8	14.0	7.1	20.9	20.4	9.5	31.2	
..	
..	
		3,001,192			2,220,700			
		169			76			
31.9	58.3	56.3	35.2	77.5	38.0	11.8	64.2	
		420,961			452,174			
		29			16			
..	
..	
..	
..	
..	
..	
..	
..	
				
				

[illegible]

[illegible]

Table 22: Home schooling
Great Britain, 14 to 24 May 2020

1

Among those who said they had dependent children.

In the past seven days, have you home schooled your child/children due to the Coronavirus (COVID-19) outbreak?

Yes

Weighted count

Sample size

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 to 24 May 2020

Notes

1. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day activities. This definition is consistent with the Equality Act 2010.
2. Participants can select all impairments that apply. If a participant has multiple impairments, they are reported. Impairment status is shown for disabled (as defined above) respondents only.
3. Missing options of 'Don't know' and 'Prefer not to say' have been excluded when conducting the above analysis.

See Notes page for more information.

[back to contents](#)

All persons total			Disabled			Non-disabled
%	LCL	UCL	%	LCL	UCL	%
74.3	68.4	80.3	68.5	51.6	85.3	76.8
13,510,838			1,838,487			11,013,426
343			54			274

presented in each of those impairment categories in this analysis.

analysis.

d	Impairment type:							
	Vision					Hearing		
	LCL	UCL	%	LCL	UCL	%	LCL	UCL
	70.7	83.0	73.0	37.1	100.0
			194,224			..		
			6			..		

Mobility			Dexterity			Learning
%	LCL	UCL	%	LCL	UCL	%
86.3	71.1	100.0	90.7	67.8	100.0	87.0
569,954			240,668			320,853
16			7			9

		Memory			Mental health	
LCL	UCL	%	LCL	UCL	%	LCL
67.3	100.0	85.2	64.4	100.0	71.7	60.0
		282,717 9			910,833 27	

Stamina				Social or behavioural			
UCL	%	LCL	UCL	%	LCL	UCL	
83.4	76.7	50.8	100.0	85.1	38.2	100.0	
	254,994			129,630			
	11			4			

Other			
	%	LCL	UCL

180,570			
3			

Table 23: Impairment types reported by disabled people*Great Britain, 14 to 24 May 2020*[back to contents](#)

	Weighted %	LCL	UCL
Impairment type¹			
Vision	8.3	5.4	11.2
Hearing	8.9	6.6	11.2
Mobility	42.3	37.6	47.0
Dexterity	24.1	19.6	28.6
Learning	17.9	13.6	22.1
Memory	18.4	14.4	22.4
Mental health	33.8	28.8	38.8
Stamina	34.0	29.1	38.8
Social or behavioural	7.5	4.5	10.5
Other	8.0	4.4	11.6

Source: Opinions and Lifestyle Survey (COVID-19 module), 14 May to 24 May

Notes

1. Totals will sum to over 100 per cent as respondents can report more than one impairment type.

2. For the purposes of this analysis, a person is considered to have a disability if they have a self-reported long-standing illness, condition or impairment which causes difficulty with day-to-day

N Weighted count	
62	1,033,040
96	1,108,486
311	5,260,543
169	3,001,192
76	2,220,700
98	2,287,388
138	4,204,801
245	4,227,026
30	934,728
36	992,537