

1. Approximately how many patients are you currently looking after that have had COVID-19 symptoms for the following duration?

| No. of patients | Any | 0 | 1-2 | 3-5 | 6-10 | 11-20 | 21-30 | 31-40 | 50+ | Average no. of patients per GP |
|--------------------|-----|-----|-----|-----|------|-------|-------|-------|------|--------------------------------|
| Less than 2 weeks | 37% | 63% | 21% | 7% | 7% | 2% | 0.0% | 0.4% | 0.4% | 2 |
| From 2 to 6 weeks | 42% | 57% | 23% | 11% | 4% | 1% | 0.5% | 1% | 0.5% | 2 |
| From 6 to 12 weeks | 53% | 47% | 29% | 15% | 6% | 1% | 1% | 0.0% | 0.0% | 2 |
| More than 12 weeks | 67% | 33% | 36% | 21% | 5% | 4% | 0.4% | 1% | 0.4% | 3 |

76% of GPs are treating at least one patient with COVID symptoms.

2. Do you have a long-COVID clinic you can refer to?

| | % |
|-----|-----|
| Yes | 23% |
| No | 77% |

3. Are your patients prevented from being referred to your long-COVID clinic because of a negative test?

| | % |
|----------------|-----|
| Yes | 5% |
| No | 20% |
| Not applicable | 75% |

7. Do you currently have access to the diagnostics you require to treat long-COVID, such as Echocardiograms, CT scans and tilt tests?

| | Yes, and access is generally good | Yes, but access is generally good for some, poor for others | Yes, but access is generally poor | No | Don't know |
|-------------------------------|-----------------------------------|---|-----------------------------------|-----|------------|
| On referral to secondary care | 17% | 26% | 26% | 14% | 16% |
| In the community | 7% | 17%control | 11% | 50% | 14% |

8. How confident would you say you feel treating patients with long-COVID symptoms at the moment?

| | % |
|----------------------|-----|
| Extremely confident | 1% |
| Very confident | 6% |
| Somewhat confident | 28% |
| Not very confident | 51% |
| Not at all confident | 14% |