
















Summary of PPE Stocks

Product	Weeks until stock-out	Indicative Inventory Forecast (Items, m)	Actions
 FFP3 respirators	10 wks <ul style="list-style-type: none"> Demand will burn down existing stock Forecast supply inconsequential vs demand 		<ul style="list-style-type: none"> Increase acquisition Reduce demand with policy Approve FFP2 masks as substitute
 Type IIR face masks	>12 wks <ul style="list-style-type: none"> Current stocks are sufficient to sustain through forecast usage 		<ul style="list-style-type: none"> Distribute, ensure plenty of stock on site
 Safety glasses/visors	12 wks <ul style="list-style-type: none"> Demand will burn down existing stock Forecast supply inconsequential 		<ul style="list-style-type: none"> Distribute usage guidelines Reduce demand with policy
 Gloves	>13 wks <ul style="list-style-type: none"> Current stocks are sufficient to sustain through pandemic 		<ul style="list-style-type: none"> Distribute, ensure plenty of stock on site
 Surgical theatre gowns	<2 wks <ul style="list-style-type: none"> Very low current stock relative to demand No immediate inbound orders 		<ul style="list-style-type: none"> Increase requisition rates of stock Reduce demand with policy Call to arms for manufacturers
 Apron	>13 wks <ul style="list-style-type: none"> Current stocks are sufficient to sustain through forecast usage 		<ul style="list-style-type: none"> Distribute, ensure plenty of stock on site
 Hand Hygiene	>13 wks <ul style="list-style-type: none"> Current stocks are sufficient to sustain through pandemic <i>NB inbound stock assumed to be similar bottle size to current stocks</i> 		<ul style="list-style-type: none"> Distribute, ensure plenty of stock on site

Others to be included: FFP2 respirators, clinical waste bags, body bags, general purpose detergent, paper towels, fit test solution

Work in progress document - confidential - all workings based on NHS assumptions - not yet validated

We have a comprehensive approach to optimising PPE distribution



Current guidance on use of PPE

PPE for high-risk procedures

Recommended PPE to be used by healthcare workers delivering or assisting with an aerosol generating procedure on patients with possible or confirmed COVID-19 including in ICU or the hot zone of an ED:

- FFP3 respirator
- Long sleeved disposable gown
- Gloves
- Eye protection (disposable goggles or full-face visor)

PPE for other settings

Recommended PPE to be used by healthcare workers within one metre of a patient with possible or confirmed COVID-19 including staff working in hospitals, primary care, ambulance trust, community care settings, care homes:

- Fluid repellent facemask (Type IIR)
- Apron
- Gloves
- Eye protection if there is a risk of splashing

Guidance is being reviewed with Royal Colleges to ensure risk levels and requirements are clear across a range of different settings and procedures – to be published early w/c 30 March.