

You have accepted additional cookies. You can [change your cookie settings](#) at any time.

Hide this message

Press release

Pregnant women urged to come forward for COVID-19 vaccination

The Joint Committee on Vaccination and Immunisation (JCVI) is calling on all pregnant women to get vaccinated as soon as possible.

From: [UK Health Security Agency](#)

Published 16 December 2021

Last updated 16 December 2021 — [See all updates](#)



Brexit



[Check what you need to do](#)

There is growing evidence showing that women who are pregnant are at increased risk of serious consequences from coronavirus (COVID-19) and as a result, they should be considered a clinical risk group within the COVID-19 vaccination programme.

Given that the majority of pregnant women who have been admitted to hospital with severe COVID-19 are unvaccinated, the key priority is to increase the number of pregnant women completing their primary course (2 vaccine doses 8 weeks apart).

Recent data published by the UK Health Security Agency (UKHSA) adds to the existing international evidence, which has not identified any safety concerns of vaccinating women during pregnancy.

Additional efforts focused on improving vaccine uptake amongst pregnant women will require a coordinated response from professional groups including midwifery, charities and support from local community leaders.

Pregnant women who have completed their primary vaccine course should book their COVID-19 booster if they had their second vaccine dose at least 3 months earlier.

Professor Wei Shen Lim, Chair of JCVI COVID-19 Immunisation, said:

“ There is no evidence to suggest that COVID-19 vaccines used in pregnancy increase the risk of miscarriage, stillbirths, congenital abnormalities or

birth complications. Having a UK approved COVID-19 vaccine is safer than having COVID-19 itself.

“ Women who are pregnant are strongly encouraged to have a first, second or booster vaccine dose as appropriate in order to better protect yourself and your baby from any serious consequences from COVID-19.”

Dr Gayatri Amirthalingam, UKHSA, said:

“ The serious risks posed to women who become infected with COVID-19 during pregnancy have become increasingly clear.

“ We know that the vaccines used in the UK COVID-19 vaccination programme have been highly effective in preventing serious complications and those recommended for pregnant women have a good safety record.

“ I would urge all pregnant women to come forward and get their vaccine without delay. This is the best way to protect you and your baby.”

Dr Edward Morris, President of the Royal College of Obstetricians and Gynaecologists (RCOG) said:

“ We welcome the announcement from the JCVI that recognises pregnant women are more vulnerable to severe illness should they get infected and will therefore be prioritised for vaccination. This is something we have been calling on the JCVI to introduce and we are pleased they have listened.

“ It is vital that pregnant women can easily access the booster vaccine to ensure that a good level of protection against COVID-19 and the new variant is maintained.

“ Women who do develop symptomatic COVID-19 have an increased risk of giving birth prematurely, and stillbirth. The latest data from UKHSA shows only a fifth of women who gave birth in August were vaccinated and we would strongly recommend that all pregnant women get vaccinated as soon as possible, as it's the best way to protect themselves and their baby

against COVID-19.

“ We encourage the government to consider all available options to ensure that pregnant women are given priority when booking their COVID-19 vaccines.”

Gill Walton, Chief Executive of the Royal College of Midwives (RCM), said:

“ Today’s announcement is good news. The RCM together with the RCOG and other organisations have been calling for pregnant women to be prioritised in the vaccination and booster programme. What is crucial now is that women are able to access vaccination hubs or clinics close to where they are receiving their maternity care.

“ We are aware of reports of pregnant women waiting for hours in queues at walk-in centres or even when they have appointments and this is unacceptable.

“ Providing clinics in or very near antenatal clinics, staffed by vaccination teams, is a great way to encourage uptake and will also ensure that midwives, already in short supply, aren’t taken away from their core work.

“ It’s also vital that all vaccinators and vaccination centres are not only aware that pregnant women are recommended to be vaccinated and have the booster and pregnancy, but are trained in supporting them through the process too.

“ We know that the best way to protect pregnant women and their babies from COVID-19 is through vaccination. That’s why the government must take immediate action on the recommendations we have laid out with the RCOG to ensure that there are no barriers for women in accessing the vaccine.”

Professor Marian Knight, Professor of Maternal and Child Population Health at the University of Oxford and chief investigator of the UKOSS national study of pregnant women admitted to hospital with COVID-19, said:

“ This new data clearly shows that outcomes of COVID-19 for pregnant women and their babies are getting worse. However, it also shows the very strong protection that receiving a vaccination provides.

“ With several hundred thousand pregnant women across the world having received a vaccine, it is clear that vaccination in pregnancy is safe. As infections increase, pregnant women can be reassured that getting a vaccine is the best way to protect them and their babies.”

Background information

Data from [UKOSS](#) and [MBRRACE-UK](#) reveals that clinical outcomes following COVID-19 in pregnant women have worsened over the course of the pandemic.

The [UKOSS study](#) found that the vast majority of pregnant women who were admitted to hospital with COVID-19 were unvaccinated.

UK Health Security Agency press office

Wellington House
133-155 Waterloo Road
London
SE1 8UG

Email
phe-pressoffice@phe.gov.uk

Telephone
020 7654 8400

Out of hours
020 8200 4400

Share this page



Published 16 December 2021

Last updated 16 December 2021 [+ show all updates](#)

Explore the topic

[Vaccinations for coronavirus](#)

Is this page useful?

Yes

No

[Report a problem with this page](#)

Coronavirus (COVID-19)

[Coronavirus \(COVID-19\): guidance and support](#)

Services and information

[Benefits](#)

[Births, deaths, marriages and care](#)

[Business and self-employed](#)

[Education and learning](#)

[Employing people](#)

[Environment and countryside](#)

Brexit

[Check what you need to do](#)

Departments and policy

[How government works](#)

[Departments](#)

[Worldwide](#)

[Childcare and parenting](#)

[Housing and local services](#)

[Services](#)

[Citizenship and living in the UK](#)

[Money and tax](#)

[Guidance and regulation](#)

[Crime, justice and the law](#)

[Passports, travel and living abroad](#)

[News and communications](#)

[Disabled people](#)

[Visas and immigration](#)

[Research and statistics](#)

[Driving and transport](#)

[Working, jobs and pensions](#)

[Policy papers and consultations](#)

[Transparency and freedom of information releases](#)

[Help](#) [Privacy](#) [Cookies](#) [Accessibility statement](#) [Contact](#) [Terms and conditions](#)
[Rhestr o Wasanaethau Cymraeg](#) [Government Digital Service](#)

OGL All content is available under the [Open Government Licence v3.0](#), except where otherwise stated



© Crown copyright