

A guide to COVID-19 vaccination

All women of childbearing age, those currently pregnant, planning a pregnancy or breastfeeding

You must read this before you go for vaccination

The Pfizer-BioNTech COVID-19 vaccine is a new type of vaccine that has been shown to be effective and to have a good safety profile. It has not yet been assessed in pregnancy, so it has been advised that until more information is available, those who are pregnant should not have this vaccine.

Many vaccines can be given safely in pregnancy so why am I being advised against this vaccine?

Evidence so far reviewed by the MHRA raises no concerns for safety in pregnancy.

Because of the new formulation of this particular vaccine the MHRA wants to see more non-clinical data before finalising the advice in pregnancy. It is standard practice when waiting for such data on any medicine, to avoid its use in those who may become pregnant or who are breastfeeding. This will be kept under review as more evidence becomes available.



COVID-19 immunisation
Enjoy life. Protect yourself.

What does this mean for me?

Here are the key points you should consider until we have more evidence:

- if you are pregnant you should not be vaccinated – you can be vaccinated after your baby is born
- if you think you may be pregnant you should delay vaccination until you are sure you are not
- if you are planning to get pregnant in the next three months, you should delay your vaccination
- if you know you are not pregnant you can start the two-dose course now and you should avoid getting pregnant until at least two months after the second dose
- if you have had the first dose and then become pregnant you should delay the second dose until after your baby is born

Vaccination, helping to protect those most vulnerable.



Public Health Agency
12-22 Linenhall Street, Belfast BT2 8BS.
Tel: 0300 555 0114 (local rate).
www.publichealth.hscni.net

Find us on:



If you are breastfeeding you should wait until you have finished breastfeeding and then have the vaccine. If you were breastfeeding when you had the first dose you are advised not to have the second dose until you have finished breastfeeding.

This advice is precautionary until additional evidence is available to support the use of this vaccine in pregnancy and breastfeeding. It may then be possible to have the Pfizer-BioNTech vaccine. Until that advice is changed you may be able to have one of the other COVID-19 vaccines that are expected.



© Crown Copyright 2020. This information was originally developed by Public Health England and is used under the Open Government Licence v3.0